

PRODUCT CATALOG 2020v13

# Southland Tool Mfg. Inc.

# **SEWER EQUIPMENT GUIDE**

# **PUMA Manhole Extraction Equipment**





# **Jet & Vacuum Tools**

Puma Grabber, Handy-Clams	Page 11,12
Jetting and Vacuum Machine Accessories, Hose Guides	Page 13
Tools, Rollers, Roller Guides	Page 14
Drop Manhole Bridges, Crowns	Page 15
Vac-Traps	Page 16
Hydro-Excavation, Industrial Vacuum Equipment, Tube Holders and Handles	Page 17,18
Tube Transition and Reducers, Tube Clamps	Page 19,20
Hydraulic Root Cutters, Motors Kits	Page 21, 22, 23, 24

# **Sewer Rodding Tools & Accessories**

Specialty Calcium, PVC Carbide Root Saw Blades	Page 25
Nozzle Extensions Finned, 6 Wire Skid, 4 Wire Skid, Football Style, Proofers	Page 26, 27
Sectional Sewer Rods, Rodding Tools, Accessories	Page 28
Rod Cleaning Tools, Corkscrews, Augers	Page 29
Saws For Rodding	Page 30, 31
Saw Blades Only, Concave, Flat, Spiral, Colorado	Page 32
Porcupines, Brushes, 3 Blade Cutters	Page 33
Power Drive Rod Turning Machine, Manhole Guides Set Up, Carry All Trailer	Page 34
Continuous Rods Guide Tools and Accessories	Page 35
Continuous Rod, Loading Rack, Rods and Tool Adapters	Page 36
No. 5 Plumbing Rods and Tools	Page 37
"B" Rods And Tools, Coiled Spring Items, Ball Valves, 90° Swivels	Page 38
Arrow Cutters, PVC Cutters, Special Saws, Carbide Saws Diamond Tap Cutters, Septic Cleaning Tools	Page 39
Manhole Hooks, Sand Traps, Insert Nozzle Guide, Magnet	Page 40
Manhole Safety Covers (Big Red New), Manhole Lifters	Page 41

# "ST-PRO CAM" JET CAMERA NOZZLE

Introducing the **ST-PRO CAM**. First Sewer Camera Nozzle that fits every budget. Good for 6" and up! **Self-Leveling**. Now every jetter can have one, full time! Easy to use and easy on the budget.





SUPERIOR ILLUMINATION AND SELF LEVELING

# **Check out these INCLUDED Features:**

- Self leveling "GO-PRO CAMERA. Hi-Tech Stabilized
- Stainless Steel camera enclosure and dry suit camera case
- 6" to 8" adjustable skids and Nylon wheels (available to 18")
- Mini Sdi Card and Card reader, App readable
- Rear 1" thrust nozzle with 8 jets (plugs included for lower gpms.)
- 3 each of adjustable 1600 lumen LEDS, 3 extra Rechargeable batteries included

• 3 hour run time, Wi-Fi integrated wireless downloadable to phone app



Optional Extension skid sets 10"-12" 15"-18"





Southland Tool Catalog

1



# **PUMA TOOLS**

**DEBRIS BASKETS, CATCHERS, SCOOPS, GRABBERS** 

#### FLAT TRAPS FOR SKIMMING ALONG FLAT AREAS

F1-6	6"	FLAT TRAP BASKET 6" WIDE X 6" HIGH FOR QUICK CONNECT FIBERGIASS POLES
FT-8	8"	FLAT TRAP BASKET 8" WIDE X 6" HIGH FOR QUICK CONNECT FIBERGLASS POLES
FT-10	10"	FLAT TRAP BASKET 12" WIDE X 8" HIGH FOR QUICK CONNECT FIBERGLASS POLES
FT-12	12"	FLAT TRAP BASKET 12" WIDE X 8" HIGH FOR QUICK CONNECT FIBERGLASS POLES
CT 45	4 5"	FLAT TRAD BACKET 45" MIDE V 9" LUCU FOR OUTCK CONNECT FIREDOLASS DOLFS

### DEBRIS BASKETS TO USE WITH FIBERGLASS POLE

DB-6	6"	DEBRIS BASKET 6" FOR QUICK CONNECT FIBERGLASS POLES
DB-8	8"	DEBRIS BASKET 8" FOR QUICK CONNECT FIBERGLASS POLES
DB-10	10"	DEBRIS BASKET 10" FOR QUICK CONNECT FIBERGLASS POLES
DB-12	12"	DEBRIS BASKET 12" FOR QUICK CONNECT FIBERGLASS POLES
DB-15	15"	DEBRIS BASKET 15" FOR QUICK CONNECT FIBERGLASS POLES
DB-18	18"	DEBRIS BASKET 18" FOR QUICK CONNECT FIBERGLASS POLES
DB-24	24"	DEBRIS BASKET 19" FOR QUICK CONNECT FIBERGLASS POLES

#### **DEBRIS GRIT CATCHERS TO USE WITH FIBERGLASS POLES**

DB-6S	6"	DEBRIS GRIT CATCHER 6" FOR QUICK CONNECT FIBERGLASS POLES
DB-8S	8"	DEBRIS GRIT CATCHER 8" FOR QUICK CONNECT FIBERGLASS POLES
<b>DB-10S</b>	10"	DEBRIS GRIT CATCHER 10" FOR QUICK CONNECT FIBERGLASS POLES
DB-12S	12"	DEBRIS GRIT CATCHER 12" FOR QUICK CONNECT FIBERGLASS POLES
DB-15S	15"	DEBRIS GRIT CATCHER 15" FOR QUICK CONNECT FIBERGLASS POLES
DB-18S	18"	DEBRIS GRIT CATCHER 18" FOR QUICK CONNECT FIBERGLASS POLES
DB-24S	24"	DEBRIS GRIT CATCHER 19" FOR QUICK CONNECT FIBERGLASS POLES

\*\*\*Includes Solid Half Bottom And Back To Catch The Grit\*\*\*

### **DEBRIS BASKET WITH 25' ROPE**

		DAOILLI WIIII 20 ILOI L
DBR-6	6"	DEBRIS BASKET 6" WITH ROPE
DBR-8	8"	DEBRIS BASKET 8" WITH ROPE
DBR-10	10"	DEBRIS BASKET 10" WITH ROPE
DBR-12	12"	DEBRIS BASKET 12" WITH ROPE
DBR-15	15"	DEBRIS BASKET 15" WITH ROPE
DBR-18	18"	DEBRIS BASKET 18" WITH ROPE
DBR-24	24"	DEBRIS BASKET 19" WITH ROPE

The Grit\*\*

All tools come standard with Quick-Connect Male Ends. Threaded ends or Cues end available, see below

To use CUES POLES with the above BASKETS - ADD "C" after the part # (i.e. DB-6C) - Add \$10.00



#### **DEBRIS GRIT CATCHER WITH 25' ROPE**

DBR-6S	6"	DEBRIS GRIT CATCHER 6" WITH ROPE
DBR-8S	8"	DEBRIS GRIT CATCHER 8" WITH ROPE
DBR-10S	10"	DEBRIS GRIT CATCHER 10" WITH ROPE
DBR-12S	12"	DEBRIS GRIT CATCHER 12" WITH ROPE
DBR-15S	15"	DEBRIS GRIT CATCHER 15" WITH ROPE
DBR-18S	18"	DEBRIS GRIT CATCHER 18" WITH ROPE
DBR-24S	24"	DEBRIS GRIT CATCHER 24" WITH ROPE

\*\*\*Includes Solid Half Bottom And Back To Catch The Grit\*\*\*

### **DEBRIS CYLINDER**

DC-0	ю	DEDKIS CILINDER FOR 0 FIFE
DC-8	8"	DEBRIS CYLINDER FOR 8" PIPE
DC-10	10"	DEBRIS CYLINDER FOR 10" PIPE
DC-12	12"	DEBRIS CYLINDER FOR 12" PIPE



### ALUMINUM DEBRIS TRAPS, LIGHT AND NON-CORROSIVE ALUMINUM

, O		DEBING THAN O, EIGHT AND HON GOTH CONTENTION
ADT-6	6"	ALUMINUM DEBRIS/SAND TRAP FOR USE WITH FIBERGLASS POLES
ADT-8	8"	ALUMINUM DEBRIS/SAND TRAP FOR USE WITH FIBERGLASS POLES
ADT-10	10"	ALUMINUM DEBRIS/SAND TRAP FOR USE WITH FIBERGLASS POLES
ADT-12	12"	ALUMINUM DEBRIS/SAND TRAP FOR USE WITH FIBERGLASS POLES
ADT-15	15"	ALUMINUM DEBRIS/SAND TRAP FOR USE WITH FIBERGLASS POLES
ADT-18	18"	ALUMINUM DEBRIS/SAND TRAP FOR USE WITH FIBERGLASS POLES



### SCOOPAS-STRONG HEAVY DUTY MADE TO FIT IN SEWER INVERT TO CATCH DEBRIS, ZINC PLATED

SC-4	4"	SCOOPA FOR FIBERGLASS POLES
SC-6	6"	SCOOPA FOR FIBERGLASS POLES
SC-8	8"	SCOOPA FOR FIBERGLASS POLES
SC-10	10"	SCOOPA FOR FIBERGLASS POLES
SC-12	12"	SCOOPA FOR FIBERGLASS POLES

SCOOPA SCREENS KEEPS DEBRIS FLOW FROM SPILLING OVER BACK OF TOOL. GOOD FOR CATCHING ROOTS, ZINC PLATED

OOOD I	OI.	CATOTING ROOTS. ZING I LATED
SCCS-6	6"	SCOOPA SCREEN FOR FIBERGLASS POLES
SCCS-8	8"	SCOOPA SCREEN FOR FIBERGLASS POLES
SCCS-10	10"	SCOOPA SCREEN FOR FIBERGLASS POLES
SCCS-12	12"	SCOOPA SCREEN FOR FIBERGLASS POLES





To use CUES POLES with the above BASKETS - ADD "C" after the part # (i.e. DB-6C) - Add \$10.00





#### **CHOPPER**

LC-9 6" CURVED CHOPPER FOR FIBERGLASS POLES. GREASE LOG CHOPPER NOW WITH CURVED SIDE TO BETTER PUSH MATERIAL. THESE CHOPPERS ARE VERY SHARP AND CAN CHOP UP WOOD AND GREASE OR MUD OR ANYTHING YOU WANT. ZINC PLATED

#### **SEWER HOSE GRABBERS**

HG-1 8" WIDE IMPROVED HOSE GRABBER FOR FIBERGLASS POLES, ANGLE ENDS TO ALLOW EASY ENTRY FOR HOSE. THIS TOOL IS GREAT FOR PUSHING DOWN ON THE HOSE AS THE NOZZLE COMES OUT OF LINE. KEEPS IT HORIZONTAL. 1/4" THICK STEEL. ZINC PLATED.



SHT-1 7" WIDE OPPOSITE HOSE GRABBER, OPPOSING C HOOKS GRAB HOSE IN MIDDLE AND TWIST FOR EASY GRABBING. ALLOWS YOU TO MOVE THE HOSE FROM SIDE TO SIDE OR PUSH ON IT IN ANY DIRECTION.



DEBRIS GRABBERS, HOOKS, CLAWS, SHOVELS, SPOONS, MAGNETS

#### **4 PRONGED DEBRIS GRABBER**

4PG-1 8" WIDE 4 PRONGED DEBRIS GRABBER - PULLS OUT ROOTS, ROCKS, CANS AND OTHER



#### **3 PRONGED DEBRIS GRABBER**

6" WIDE 3 PRONGED DEBRIS GRABBER. SAME AS ABOVE BUT 3 PRONGS. EACH 3PG-1 PRONG IS MADE OF STRONG SPRING STEEL. THESE ARE SHARP AND WILL PUNCTURE A CAN OR GRAB FIBROUS ROOTS. ZINC PLATED



All tools come standard with Quick-Connect Male Ends. Threaded ends or Cues end available, see below

To use CUES POLES with the above BASKETS - ADD "C" after the part # (i.e. DB-6C) - Add \$10.00





#### **BITZ RAKE**

BITZ-R 12" LONG BITZ RAKE. GREAT FOR GETTING MATERIAL OUT OF INVERTS AND CAN BE INSERTED INTO PIPE FOR CATCHING HANGING MATERIAL. ZINC PLATED

#### **RAKES**

SR3-1

3 PRONGED 90° RAKE. GREAT FOR GRABBING ROOTS FROM SEWER OR STORM DRAINS. FITS OUR FIBERGLASS POLES AND IS MADE OF HARD SPRING STEEL WITH SHARPENED, POINTED ENDS. ZINC DIPPED FOR CORROSION RESISTANCE.

#### **SPOONS**

PS-1

9" DIA. ROUNDED CATCH BASIN SPOON. CONNECTS TO ALL OUR POLES THIS IS A 9" DIAMETER STEEL SPOON THAT WILL SCOOP OUT LARGER AMOUNTS OF MUC AND DEBRIS. FITS ANY LENGTHS OF FIBERGLASS POLES. ALSO USED ON OUR WOOD HANDLED SEWER SPOONS. ZINC PLATED

WSS-1 9" DIA. WESTERN STYLE SPOONS ARE GREAT WITH NICE STRONG BENT ANGLED FLAT PART AND TURNED UP EDGES THAT IS IDEAL FOR CLEANING OUT THOSE HARD TO GET AREAS. ALSO USED ON OUR WOOD HANDLE SPOONS (SEE PAGE 11) ZINC PLATED

### **SHOVELS**

SIS-1 INVERT SHOVEL ATTACHMENT - ATTACHES TO ALL OUR POLE SYSTEMS, GREAT FOR DIGGING, MOVING DEBRIS IN INVERTS. NICE ROUNDED SIDE

MAKES IT PERFECT TO FIT IN AN 8" INVERT. BLACK STEEL.

FLAT SHOVEL ATTACHMENT - ATTACHES TO ALL OUR POLE SYSTEMS THIS
FS-IT FLAT SHOVEL IS GREAT FOR SCRAPING WELL SIDES AND CHIPPING UP

FLOATING DEBRIS. BLACK STEEL.

CS-IT SPADE ROUNDED SHOVEL. FOR USE WITH FIBERGLASS POLES, GOOD ALL

AROUND SHOVEL. WORKS WELL IN AREAS WHERE YOU NEED TO SLIDE

AND PUNCTURE DEBRIS. BLACK STEEL.

### **SEWER MAGNET**

SMAG-1 SEWER MAGNET, 100LB CAPACITY, AN OVERALL METAL RETRIEVER. GREAT TOOL

FOR RETRIEVING THAT LOST TOOL, CAN LIFT VALVE. COVERS COMES WITH

STEEL PROTECTIVE PLATE TO PROTECT MAGNET. ZINC PLATED.

All tools come standard with Quick-Connect Male Ends. Threaded ends or Cues end available, see below

To use CUES POLES with the above BASKETS - ADD "C" after the part # (i.e. DB-6C) - Add \$10.00





#### **PIKE POLE ATTACHMENT**

PP-125 PIKE POLE ATTACHMENT FOR POLES. Tough like firefighters the pike pole attachment is made of cast steel. Painted Black



SPH-5 SPEARHEAD FOR POLES - MADE OF MACHINED STEEL AND HARDENED. THIS ATTACHEMENT TURNS YOUR FIBERGLASS POLE INTO A JABBING, PIERCING AND BREAKING TOOL



#### **CAMERA HOOKS**

CAM-1 CAMERA GAFFING HOOK. TESTED TO 200 LBS

CAM-2 SMALL DIAMETER CAMERA GAFFING HOOK 3"
Made of strong spring steel and cold bent to the right hook design.
Connects to our fiberglass poles. Red ball on end is removable.
Zinc Plated

SSCAM-1S 2" SIDE TO SIDE CAMERA SWIVEL HOOK.

Easy to turn to get around harness or bridel this camera hook articulates so you can get the hook into any position you want by moving and turning your pole.

ECL-1 ENVIROTYPE CAMERA LIFTING HOOK WITH SIDE PICK UP BARS AND POLE ADAPTER.

This will lift your envirosight camera easily. Now you can have more control when grabbing this type of rover camera. Zinc Plated


#### **POLE INSPECTION MIRRORS**

All come with Male Quick Connect End to fit our poles (Includes Swivel Knuckle)

IMR-1 4" X 6" SEWER MIRROR COMPLETE WITH PADDED COVER WITH VELCRO IMR-2 6" X 6" SEWER MIRROR COMPLETE WITH PADDED COVER WITH VELCRO IMR-3 8" X 10" SEWER MIRROR COMPLETE WITH PADDED COVER WITH VELCRO

All tools come standard with Quick-Connect Male Ends. Threaded ends or Cues end available, see below

To use CUES POLES with the above BASKETS - ADD "C" after the part # (i.e. DB-6C) - Add \$10.00





#### **REAR DOOR POLE CARRIERS**

FPB-4 **4 PIECE** FIBERGLASS POLE BRACKET. Comes with bottom pegged rest and two brackets with tight stays to keep poles steady. All Aluminum Mounts to back door

FPB-6 6 PIECE FIBERGLASS POLE BRACKET. Comes with bottom pegged rest and two brackets with grip tight stays to keep poles steady. All Aluminum mounts to back door.



SDS-1 HIGH QUALITY CAST DESIGN FOR CARRYING A SINGLE POLE.

One side is a closed circle.

SDS-2 DOUBLE CARRIER WITH RUBBER GASKET TO PROTECT THE POLE. The

other side is an open half-moon with a pull-tight and locking rubber strap to keep

ooles in place.

### **GRABBER CLAW**

CRW-1 CLAW FOR ATTACHING TO POLES. INCLUDES CLAW, ROPE PVC STAY, ONE-WAY CLEAT, HARDWARE AND ALL YOU NEED TO CONNECT TO OUR FIBERGLASS POLES. EXTENDS TO 24' OR MORE DEPENDING ON THE LENGTH YOU NEED. JUST ADD MORE POLES



### POLE SETS FOR PUMA LINE OF TOOLS

### FIBERGLASS POLES STANDARD WEIGHT ORANGE QUICK CONNECT

STD-3	3'	SINGLE MALE X FEMALE POLE
STD-6	6'	SINGLE MALE X FEMALE POLE
STD-18	18'	SET OF 2 MALE X FEMALE POLE
STD-21	21'	SET OF 3ea. 6' AND 1ea. 3' MALE X FEMALE POLE
STD-24	24'	SET OF 3 MALE X FEMALE POLE AND ONE RUBBER END POLE
STD-6R	6'	SINGLE 6' FEMALE X RUBBER END POLE
STD-12R	12'	SINGLE 12' POLE WITH FEMALE END X RUBBER END POLE



EXT-1	8'-16'	FIBERGLASS EXTENSION POLE 8'-16'
EXT-2	8'-24'	FIBERGLASS EXTENSION POLE 8'-24'
EXT-3	6'-12'	FIBERGLASS EXTENSION POLE 6'-12'




### STEEL REINFORCED FIBERGLASS POLES (SUPER STIFF) QUICK CONNECT

STD-3ST	3'	SINGLE MALE X FEMALE POLE
STD-6ST	6'	SINGLE MALE X FEMALE POLE

STD-21ST 21' SET OF 3ea. 6' AND 1ea. 3' MALE X FEMALE POLES

STD-24ST 24' SET OF 3 MALE X FEMALE POLES AND ONE RUBBER END POLE









### FOAM FILLED POLES FOR EXTRA STRENGTH AND SAFETY QUICK CONNECT

FF-3	3'	SINGLE MALE X FEMALE POLE	
FF-6	6'	SINGLE MALE X FEMALE POLE	
FF-8	8'	SINGLE 8' MALE AND FEMALE	
FF-21	21'	SET OF 3ea. 6' AND 1ea. 3' MALE X FEMALE POLES	
FF-24	24'	SET OF 3 MALE X FEMALE POLES AND ONE RUBBER END POLE	
FF-6R	6'	SINGLE 6' FEMALE X RUBBER END POLE	





### THREADED ENDS - FIBERGLASS POLES STANDARD WEIGHT ORANGE

STD-3T	3'	SINGLE MALE X FEMALE POLE
STD-6T	6'	SINGLE MALE X FEMALE POLE
STD-18T	18'	SET OF 2 MALE X FEMALE POLES AND ONE END RUBBER POLE
STD-21T	21'	SET OF 3ea. 6' AND 1ea. 3' MALE X FEMALE POLE
STD-24T	24'	SET OF 3 MALE X FEMALE POLES AND ONE RUBBER END POLE
STD-6RT	6'	SINGLE 6' MALE X RUBBER END POLE
STD-12RT	12'	SINGLE 12' POLE WITH MALE END X RUBBER END
EXT-1T	7'-14'	FIBERGLASS EXTENSION POLE 7'-14'







### THREADED ENDS - STEEL REINFORCED FIBERGLASS POLES (STRONGEST POLE AVAILABLE OUT THERE)

STD-3STT	3'	SINGLE MALE X FEMALE POLE
STD-6STT	6'	SINGLE MALE X FEMALE POLE
STD-18STT	18'	SET OF 2 MALE X FEMALE POLE & 1 POLE MALE X RUBBER END
STD-21STT	21'	SET OF 3ea. 6' AND 1ea. 3' MALE X FEMALE POLE
STD-24STT	24'	SET OF 3 MALE X FEMALE POLE AND ONE RUBBER END POLE






### THREADED POLES CONT...

### THREADED ENDS - FOAM FILLED POLES FOR EXTRA STRENGTH

FF-3T	3'	SINGLE MALE X FEMALE POLE
FF-6T	6'	SINGLE MALE X FEMALE POLE
FF-21T	21'	SET OF 3ea. 6' AND 1ea. 3' MALE X FEMALE POLES
FF-24T	24'	SET OF 3 MALE X FEMALE POLES AND ONE RUBBER END POLE

SINGLE 6' MALE X RUBBER END POLE FF-6RT





### **ALUMINUM POLE WITH ALUMINUM QUICK CONNECT ENDS**

AP-6	6'	ALUMINUM POLE WITH ALUMINUM QUICK CONNECTS (ENDS MXF)
AP-12	12'	SET OF 2ea. 6' ALUMINUM POLES (ENDS MXF)
AP-18	18'	SET OF 3ea. 6' ALUMINUM POLES (ENDS MXF)

SET OF 4ea. 6' ALUMINUM POLES (ENDS MXF)



### **CUES® TYPE FIBERGLASS POLE**

24'

AP-24

5' CUES® TYPE 5' POLE-PUSH BUTTON TYPE HOLLOW/ALUMINUM FEMALE END CTP-5

5' CUES TYPE FOAM FILLED POLE - PUSH BUTTON TYPE ALUMINUM FEMALE END CTP-5FF


5' CUES® TYPE FIBERGLASS STANDARD POLE CTP-5S

CUES® TYPE FOAM FILLED POLE WITH FEMALE STEEL ENDS CTP-5FFS





### **CLAW TELESCOPE POLE GRABBERS**



### STEEL DEBRIS GRABBER

SGP-15 SGP-21 SGP-24	15' LONG STEEL TELESCOPIC GRABBER PRONG EXTENDS FROM 5' TO 15' 21' LONGSTEEL TELESCOPIC GRABBER PRONG EXTENDS FROM 7' TO 21' 24' LONGSTEEL TELESCOPIC GRABBER PRONG EXTENDS FROM 8' TO 24'	
all .	<b>9</b>	X

### **CONFINED SPACE GULLEY GRABBER**

GULLEY GRABBER is great for removing mud, silt, leaves, stones or any other object that might have fallen down a hole. The hinged bowl opens wide and within its own circumference so you can get at items in restricted areas, the bowl is water tight. It comes in 3 sizes: 5.5", 6.5" and 8.5"

Available in lengths, 6' 12' or 18'. if you buy a 18' footer then you can use it as a 6' or 12'. All break down and are "UPS'ABLE"

GG-3-12SP GG-5-6 GG-5-12 GG-5-18	3.0" BOWL - 12' LONG GULLEY GRABBER (CUSTOM SIZE TWO PIECE) 5.5" BOWL - 6' LONG GULLEY GRABBER (ONE PIECE) 5.5" BOWL - 12' LONG GULLEY GRABBER (TWO PIECE) 5.5" BOWL - 18' LONG GULLEY GRABBER (THREE PIECE)
GG-6-6 GG-6-12 GG-6-18	6.5" BOWL - 6' LONG GULLEY GRABBER (ONE PIECE) 6.5" BOWL - 12' LONG GULLEY GRABBER (TWO PIECE) 6.5" BOWL - 18' LONG GULLEY GRABBER (THREE PIECE)
GG-8-6 GG-8-12 GG-8-18	8.5" DIA. BOWL - 6' LONG GULLEY GRABBER (ONE PIECE 8.5" DIA. BOWL - 12' LONG GULLEY GRABBER (TWO PIECE) 8.5" DIA. BOWL - 18' LONG GULLEY GRABBER (THREE PIECE)



### **PUMA GRABBER**

The Puma Grabber is a one of a kind tool on the market. It allows you to pick up debris in small confined spaces in catch basins and pits and wet walls and more from the surface level. The lower end has 3 opposing sharpened prongs that are actuated by the top handle. Once you open the prongs, you then can push down on top handle that closes the prongs and grabs. Raising the tool, the weight of the item in the prongs, keeps the prongs closed. Knockdown so it's shipped parcel.

PMA-6S	6' LONG	PUMA GRABBER 6' LONG WITH 8" JAWS (1 PIECE)
PMA-8S	8' LONG	PUMA GRABBER 6' LONG WITH 8" JAWS (1 PIECE)
PMA-10S	10' LONG	PUMA GRABBER 10' LONG WITH 8" JAWS (2 PIECE)
PMA-12S	12' LONG	PUMA GRABBER 12' LONG WITH 8" JAWS (2 PIECE)
PMA-15S	15' LONG	PUMA GRABBER 15' LONG WITH 8" JAWS (3 PIECE)
PMA-18S	18' LONG	PUMA GRABBER 18' LONG WITH 8" JAWS (3 PIECE)
PMA-20S	20' LONG	PUMA GRABBER 20' LONG WITH 8" JAWS (3 PIECE)
· ·		



FS-6	6'	CATCH BASIN SPOON WITH ONE 6' FIBERGLASS POLE
FS-12	12'	CATCH BASIN SPOON WITH 12' FIBERGLASS POLES (2 POLES)
FS-18	18'	CATCH BASIN SPOON WITH 18' FIBERGLASS POLES (2 POLES)

### **WOOD HANDLE SPOONS**

PS-6	6'	1.5" THICK ASH HANDLE AND CATCH BASIN SPOON (ONE PIECE)
PS-8	8'	1.5" THICK ASH HANDLE AND CATCH BASIN SPOON (ONE PIECE)
PS-10	10'	1.5" THICK ASH HANDLE AND CATCH BASIN SPOON (ONE PIECE)
PS-102	10'	1.5" THICK ASH HANDLE AND CATCH BASIN SPOON (TWO PIECE)
PS-122	12'	1.5" THICK ASH HANDLE AND CATCH BASIN SPOON (TWO PIECE)
PS-162	16'	1.5" THICK ASH HANDLE AND CATCH BASIN SPOON (TWO PIECE)
PS-183	18'	1.5" THICK ASH HANDLE AND CATCH BASIN SPOON (THREE PIECE)
PS-203	20'	1.5" THICK ASH HANDLE AND CATCH BASIN SPOON (THREE PIECE)



# OSH STYLE "WESTERN PATTERN" WOOD HANDLE SPOONS

PS-60S	6'	WESTERN PADDLE SPOON WITH 1.5" THICK ASH HANDLE (ONE PIECE)
PS-80S	8'	WESTERN PADDLE SPOON WITH 1.5" THICK ASH HANDLE (ONE PIECE)
PS-100S	10'	WESTERN PADDLE SPOON WITH 1.5" THICK ASH HANDLE (ONE PIECE)
PS-1020S	10'	WESTERN PADDLE SPOON WITH 1.5" THICK ASH HANDLE (TWO PIECE)
PS-120S	12'	WESTERN PADDLE SPOON WITH 1.5" THICK ASH HANDLE (ONE PIECE)
PS-1220S	12'	WESTERN PADDLE SPOON WITH 1.5" THICK ASH HANDLE (TWO PIECE)
PS-1620S	16'	WESTERN PADDLE SPOON WITH 1.5" THICK ASH HANDLE (TWO PIECE)
PS-1820S	18'	WESTERN PADDLE SPOON WITH 1.5" THICK ASH HANDLE (TWO PIECE)





11

Southland Tool Catalog

### HANDI-CLAMS ONE PIECE OR KNOCKDOWN MODELS - 12" -16" BUCKETS

The HANDI-CLAM is one of the most popular tools on the market for sewer/catch basin/pit cleaning. The lower end has 2 clams shell shaped buckets that are actuated by the top handle and close tight when you lock the handle. The big advantage is that we make these knockdown models so you do not have to pay high truck freight rates for a HANDI-CLAM over 8ft long. So when you buy a 12' clam it comes in two sections that are easily put together by the enclosed instructions. Plus you can use the clam as a 6 footer or 12 footer.

SHC-6 6' HANDY CLAM 6' LONG WITH SMALL 12" BUCKET (ONE PIECE)

SHC-8 8' HANDY CLAM 8' LONG WITH SMALL 12" BUCKET (TWO PIECE)

SHC-10 10' HANDY CLAM 10' LONG WITH SMALL 12" BUCKET (TWO PIECE)

SHC-12 12' HANDY CLAM 12' LONG WITH SMALL 12" BUCKET (TWO PIECE)

SHC-16 16' HANDY CLAM 16' LONG WITH SMALL 12" BUCKET (THREE PIECES)

SHC-18 18' HANDY CLAM 18' LONG WITH SMALL 12" BUCKET (THREE PIECES)

SHC-20 20' HANDY CLAM 20' LONG WITH SMALL 12" BUCKET (FOUR PIECES)

SHC-25 25' HANDY CLAM 25' LONG WITH SMALL 12" BUCKET (FOUR PIECES)

### SHC-EX 1" HANDY CLAM EXTENSION (Sold Per Foot)

HB-12 HANDY CLAM BUCKET 12". COMES WITH AN 19" GALVANIZED HOOK.

HB-16 LARGE HANDY CLAM BUCKET 16". COMES WITH AN 19" GALVANIZED HOOK.









ALSO AVAILABLE WITH 16" BUCKET. ADD "6" TO PART NUMBER AND THE PRICE IS THE SAME.

These can be ordered in a one piece configuration also. (EXPENSIVE TO SHIP OVER 8') and you must specify at time of order that you want a single piece clam. Extra packing and shipping charges apply for truck shipments.

### **JETTING AND VACUUM TOOLS AND ACCESSORIES**

SEWER HOSE PROTECTION EQUIPMENT

SAMR-1 UPPER MANHOLE ROLLER GUIDE (36" ALUMINUM) WITH NYLON ROLLER

SAMR-48 SAME AS ABOVE BUT WITH 48" LEGS

SASR-1 UPPER MANHOLE ROLLER GUIDE (STEEL CONSTRUCTION WITH NYLON ROLLER)

DPTR-1 UPPER MANHOLE "Y" ROLLER WITH ROOM FOR 8" SUCTION TUBE

OPENS UP IN MIDDLE FOR EXTRA ROOM. HINGED SO YOU CAN USE AS

CLOSED STANDARD OR OPEN "Y"

SAMA-1 UPPER MANHOLE ROLLER GUIDE (ALUMINUM) ALUMINUM ROLLER

SJS-1 TIGER TAIL 3" X 36" SJS-2 TIGER TAIL 2" X 36"

SJS-HD HEAVY DUTY TIGERTAIL PUMA HOSE GUIDE 3"

Smooth bore rubber hose, steel banded cuffs, king clamp rope lasts

10X longer than standard Tiger Tails

SJ2-HD HEAVY DUTY PUMA HOSE GUIDE 2"

ADJ-2-S ADJUSTABLE TOP SAFETY ROLLER. ALL STEEL CONSTRUCTION WITH LATERAL

WINGS FOR SAFETY AND TO HOLD POLES CONNECTED TO BOTTOM ROLLER

ADJ-1 ADJUSTABLE TOP MANHOLE ROLLER.

Tubular Steel sides to Manholes from 24" to 36". Opposing brackets grab manhole

ring. 3" Gap when opened up allows you to insert hose without taking apart



SSC-24 ANTI-SPLASH MANHOLE ROLLER GUIDE FOR 24" SSC-36 ANTI-SPLASH MANHOLE ROLLER GUIDE FOR 36"

All aluminum construction with nylon roller and thick 3/8" Polycarbonate eliminates possibility of getting splashed by sewer water

or falling in the manhole opening











# **CORRUGATED PIPE ROLLER** STR-1 ROLLER FOR CORRUGATED PIPE PROTECTS YOUR HOSE WHEN CLEANING WHEN YOU NEED TO DROP YOUR HOSE OVER AN ELEVATED ROAD TO CLEAN A CULVERT THIS WILL PROTECT YOUR HOSE FROM SCRAPES AND SHREDDING **LOWER MANHOLE ROLLER GUIDES** GTT-7 TIGER TAIL 5 ROLLER GUIDE. WITH 25' ROPE ALL ALUMINUM LOWERS YOUR HOSE AND NOZZLES INTO SEWER PIPE. PROTECTS HOSE, LIGHTWEIGHT AND EASY TO USE. 5 POLYPROPYLENE ROLLERS LCR-5 LOWER CAMERA ROLLER, ALL ALUMINUM WITH 4 OFFSET ROLLERS, 2 REMOVABLE TO FEED CABLE THROUGH. MOVABLE SHOE FOR STANDARD FIBERGLASS POLES OR CUES STYLE PUSH BUTTON POLES SDA-2 ARTICULATING ROLLER GUIDE ABLE TO GUIDE HOSE OVER AND UNDER EXPOSE PIPE. BENDS IN THE MIDDLE SO THAT YOUR HOSE WON'T GET RIPPED UP BY CORRUGATED STEEL PIPE 9 ROLLERS AND 2 HOSE STAYS ASSURE YOUR HOSE STAYS IN POSITION. COMES WITH 25' NYLON ROPE 729-A COMPACT LOWER MANHOLE ROLLER, STEEL, WITH 4 YELLOW POLYURETHANE ROLLERS. SAFETY ORANGE WITH TOP ADAPTER FOR FIBERGLASS POLE (3/16" STEEL 13"L X 15"H) ALUMINUM LOWER MANHOLE ROLLER GUIDE SHOE - FOR LARGER LINES (4 NYLON SHDS-1 ROLLERS) 3/4" THREADED CONNECTION. POLES NOT INCLUDED (21 1/2 x 21 1/2) SHDS-1ST SAME AS ABOVE BUT STEEL CONSTRUCTION LMER-1 LOWER MANHOLE EASEMENT ROLLER. ALLOWS OPERATOR TO CHANGE DIRECTION OF HOSE IN MANHOLE THAT HAS DENIED ACCESS. THIS TOOL/ROLLER ALLOWS YOU TO TURN THE HOSE 90° DELRIN ROLLER SPINS ON 2 SEALED BEARINGS SSR-5 STAKE ROLLER FOR HOSE TO GO AROUND BENDS HARDENED POINT AND HEAD. SPADE TO KEEP FROM TURNING HGR-1 HOSE GUIDE ROLLER-GRABBER FOR FIBERGLASS POLES HGR-1T HOSE GUIDE ROLLER-GRABBER FOR THREADED POLES HOSE IS CRADLED IN LOWER HOOKS TO ALLOW YOU TO LAUNCH THE REPLACEMENT NOZZLE WITH ROLLER ALREADY IN PLACE PR-1 DELRIN REPLACEMENT ROLLER BLACK PR-1Y YELLOW POLYURETHANE REPLACEMENT ROLLER PR-1-WB PR-1-WB DELRIN REPLACEMENT ROLLER WITH 2 INTEGRATED SEALED BEARINGS

14

FE-1

POLE ADAPTER. CONNECTS TO 3/4" THREADED NPT FOR ABOVE

GUIDE SHOE ROLLERS TO OUR QUICK CONNECT FIBERGLASS POLES

#### **DROP MANHOLE BRIDGE**

DMB-1 DROP MANHOLE BRIDGE FOR 8" SEWER LINE and UP 48" LONG BRIDGE

(This is our most commonly used size. Made for a crawler with a 6" width)

(Includes Pole Connector & 25' Rope for leveling)

DMB-1S DROP MANHOLE BRIDGE FOR 6" SEWER LINE. 48" LONG BRIDGE

(This is our smallest bridge 4" width)

(Includes Pole Connector & 25' Rope for leveling)

DMB-2 DROP MANHOLE BRIDGE FOR 8" SEWER LINE. 60" LONG BRIDGE

(Includes Pole Connector & 25' Rope for leveling/6.25' width)

DMB-3 DROP MANHOLE BRIDGE FOR 10" SEWER LINE. 48" LONG BRIDGE (Includes Pole Connector & 25' Rope for leveling/7.25" width)

DROP MANHOLE BRIDGE FOR 12" SEWER LINE. 48" LONG BRIDGE

(Includes Pole Connector & 25' Rope for leveling/8.75" width)

DMB-1-24 DROP MANHOLE BRIDGE KIT.

DBM-4

(Includes: Set of 24' Long Poles STD-24) CHOOSE EITHER 6" OR 8" SIZE PIPE.

Part#: DMB-1-24-6 FOR 6"

• Part#: DMB-1-24-8 FOR 8"





### **DEEP MANHOLE TUBE HOLDER (PAT. PEND.)**

DTH-8 8" 8" DEEP TUBE HOLDER. USE TO LOWER TUBES INTO MANHOLE. FOR 36" DTH-6 6" 6" DEEP TUBE HOLDER. USE TO LOWER TUBES INTO MANHOLE. FOR 36"

DTH-50 8" 8" DEEP TUBE HOLDER. EXTENDED ARM TO 50" LENGTH DTH-60 8" B" DEEP TUBE HOLDER. EXTENDED ARM TO 60" LENGTH

### CROWN NOZZLE REDUCERS/EXCAVATOR CUFFS / ELBOWS / TUBE CLAMPS

RCN8SS 8" X 5.5" Crown Nozzle Reducer 12" Long. Vactor

RCN8SSC 8" X 5.5" Crown Nozzle Reducer 12" Long. Camel female band lock x reduced crown RCN8SSV 8" X 5.5" Crown Nozzle Reducer 12" Long. Vac-All male band lock x reduced crown

### CROWN NOZZLE REDUCERS WITH CUFF FOR HYDROEXCAVATION/EXCAVATOR CUFFS

RCUFF8FF 8" X 6" Hydro Excavator Reducer Cuff 8" Flat Flange x 6" Kanaflex Cuff

RCUFF8CT 8" X 6" Hydro Excavator Reducer Cuff 8" Bandlock Female (Camel) x 6" Kanaflex Cu RCUFF8JT 8" X 6" Hydro Excavator Reducer Cuff 8" Bandlock Male (Vac-All) x 6" Kanaflex Cuff

SCUFF8 8" X 8" Hydro Excavator Straight Cuff 8" Flat Flange x 8" Kanaflex Cuff

### **ALUMINUM ELBOWS**

CN908FF 8" Flange Short Radius 90° Elbow with Flat Flange x Crown Nozzle. All Aluminum EL98FF 8" Flange Short Radius 90° Elbow with Flat Flange x Flat Flange. All Aluminum EL458FF 8" Flange Short Radius 45° Elbow with Flat Flange x Flat Flange. All Aluminum



### **BEST IDEA EVER FOR YOUR SUCTION MACHINE - VAC TRAPS!**

Vac-Traps are a Patent Pending item invented by David Pryor the owner of Southland Tool Mfg. So please do not accept any imitations, but only the best, from the source.

Southland Tool Inc. makes a variety of Vac-Trap Debris Catchers. The idea behind the Vac-Trap is to keep the water in the sewer line where it belongs and remove only debris.

When you are vacuuming the debris coming down the sewer you usually are using a crown nozzle elevated above the flow on the down stream side of the invert. This accepted way of suctioning debris means you remove a great deal of water from the sewer line that requires you to either, decant or dump the water, along with the debris. Decanting takes time, if you have the set up, and dumping water along with debris is expensive and inefficient.

The Vac-Trap allows you to keep the water in the sewer where it belongs. Just clamp on the correctly sized Vac-Trap to the end of your suction tube and lower into the invert. The sewer debris flows through it and traps the debris but lets the water filter out. You don't even have to run your PD or fan, just let the trap do the work on its own.

Once the trap is full and you see the water start to back up then simply turn on your pump and instantly vacuum the trap clean, then you're ready to start again. The Vac-trap pays for itself in just a few uses. Think of the savings of not having to run your suction pump continuously, not having to waste time to de-cant or dump later on.

Now you can fill your tank with 80% debris and only 20% water.

#### **VACTOR FLAT FLANGE TYPE**

BT-6	6"	6" VAC-TRAP FOR 8" VACTOR SUCTION TUBE FLAT FLANGE
BT-8	8"	8" VAC-TRAP FOR 8" VACTOR SUCTION TUBE FLAT FLANGE
BT-10	10"	10" VAC-TRAP FOR 8" VACTOR SUCTION TUBE FLAT FLANGE
BT-12	12"	12" VAC-TRAP FOR 8" VACTOR SUCTION TUBE FLAT FLANGE
BT-15	15"	15" VAC-TRAP FOR 8" VACTOR SUCTION TUBE FLAT FLANGE
BT-18	18"	18" VAC-TRAP FOR 8" VACTOR SUCTION TUBE FLAT FLANGE
RT-24	24"	24" VAC-TRAP FOR 8" VACTOR SLICTION TUBE FLAT FLANGE

### **VACTOR FLAT FLANGE TYPE (With Grit Covers)**

77.10.0	<u> </u>	TEXITOE TITE (VVICIO OTIC GOVOTO)
BT-6S	6"	6" VAC-TRAP GRIT FOR 8" VACTOR SUCTION TUBE FLAT FLANGE
BT-8S	8"	8" VAC-TRAP GRIT FOR 8" VACTOR SUCTION TUBE FLAT FLANGE
BT-10S	10"	10" VAC-TRAP GRIT FOR 8" VACTOR SUCTION TUBE FLAT FLANGE
BT-12S	12"	12" VAC-TRAP GRIT FOR 8" VACTOR SUCTION TUBE FLAT FLANGE
BT-15S	15"	15" VAC-TRAP GRIT FOR 8" VACTOR SUCTION TUBE FLAT FLANGE
BT-18S	18"	18" VAC-TRAP GRIT FOR 8" VACTOR SUCTION TUBE FLAT FLANGE
BT-24S	24"	24" VAC-TRAP GRIT FOR 8" VACTOR SUCTION TUBE FLAT FLANGE

#### **CAMEL STYLE FEMALE END**

CT-6	6"	6" VAC-TRAP FOR 8" CAMEL TYPE FEMALE END
CT-8	8"	8" VAC-TRAP FOR 8" CAMEL TYPE FEMALE END
CT-10	10"	10" VAC-TRAP FOR 8" CAMEL TYPE FEMALE END
CT-12	12"	12" VAC-TRAP FOR 8" CAMEL TYPE FEMALE END
CT-15	15"	15" VAC-TRAP FOR 8" CAMEL TYPE FEMALE END
CT-18	18"	18" VAC-TRAP FOR 8" CAMEL TYPE FEMALE END
CT-24	24"	24" VAC-TRAP FOR 8" CAMEL TYPE FEMALE END

### **CAMEL STYLE FEMALE END (With Grit Covers)**

CT-6S	6"	6" VAC-TRAP GRIT FOR 8" CAMEL TYPE FEMALE END
CT-8S	8"	8" VAC-TRAP GRIT FOR 8" CAMEL TYPE FEMALE END
CT-10S	10"	10" VAC-TRAP GRIT FOR 8" CAMEL TYPE FEMALE END
CT-12S	12"	12" VAC-TRAP GRIT FOR 8" CAMEL TYPE FEMALE END
CT-15S	15"	15" VAC-TRAP GRIT FOR 8" CAMEL TYPE FEMALE END
CT-18S	18"	18" VAC-TRAP GRIT FOR 8" CAMEL TYPE FEMALE END
CT-24S	24"	24" VAC-TRAP GRIT FOR 8" CAMEL TYPE FEMALE END

### **VAC-ALL MALE COUPLING END**

JT-6	6"	VAC-TRAP FOR 8" VAC-ALL MALE END
JT-8	8"	VAC-TRAP FOR 8" VAC-ALL MALE END
JT-10	10"	VAC-TRAP FOR 8" VAC-ALL MALE END
JT-12	12"	VAC-TRAP FOR 8" VAC-ALL MALE END
JT-15	15"	VAC-TRAP FOR 8" VAC-ALL MALE END
JT-18	18"	VAC-TRAP FOR 8" VAC-ALL MALE END

### **VAC-ALL MALE COUPLING END (With Grit Covers)**

JT-6S	6"	VAC-TRAP GRIT FOR 8" VAC-ALL MALE END
JT-8S	8"	VAC-TRAP GRIT FOR 8" VAC-ALL MALE END
JT-10S	10"	VAC-TRAP GRIT FOR 8" VAC-ALL MALE END
JT-12S	12"	VAC-TRAP GRIT FOR 8" VAC-ALL MALE END
JT-15S	15"	VAC-TRAP GRIT FOR 8" VAC-ALL MALE END
JT-18S	18"	VAC-TRAP GRIT FOR 8: VAC-ALL MALE END

ADD "6" TO END OF PART #3 FOR 6" UP-TUBE FOR ANY VAC-TRAP. SAME PRICE



**FULL FLOW** 









### "DIG IT" HYDRO-EXCAVATING TOOLS

HYDRO-EXCAVATOR TOOL "DIG-IT" Is a lightweight attachment for your sewer hose, with sewer hose size (3/4" or 1") and suction tubes sizes (6' OR 8'). The wet ring has either 4, 8 or 10 replaceable stainless steel jets according to your GPM and PSI. Jets are slightly angled and zero degrees. Bottom rubber cuff provides protection.

PART NO.	MACHINE	TUBE SIZE	HOSE	<b>JETS</b>
HY-EX-8V4-3/4	VACTOR/VAC-CON	8"	3/4	4
HY-EX-8V8-3/4	VACTOR/VAC-CON	8"	3/4	8
HY-EX-8V10-3/4	VACTOR/VAC-CON	8	3/4	10
HY-EX-8V4-1	VACTOR/VAC-CON	8"	1	4
HY-EX-8V8-1	VACTOR/VAC-CON	8"	1	8
HY-EX-8V10-1	VACTOR/VAC-CON	8"	1	10
HY-EX-8C4-3/4	CAMEL	8"	3/4	4
HY-EX-8C8-3/4	CAMEL	8"	3/4	8
HY-EX-8C10-3/4	CAMEL	8"	3/4	10
HY-EX-8C4-1	CAMFI	8"	1	4
HY-EX-8C8-1	CAMEL	8"	1	8
HY-EX-8C10-1	CAMEL	8"	1	10
= , , , , , , , , , , , , , , , , ,	0/==	· ·	·	. •
HY-EX-8J4-3/4	VAC-ALL	8"	3/4	4
HY-EX-8J8-3/4	VAC-ALL	8"	3/4	8
HY-EX-8J10-3/4	VAC-ALL	8"	3/4	10
HY-EX-8J4-1	VAC-ALL	8"	1	4
HY-EX-8J8-1	VAC-ALL	8"	1	8
HY-EX-8J10-1	VAC-ALL	8"	1	10



ALL ARE AVAILABLE IN 6" TUBE SIZE. ADD "6" AFTER HY-EX. SAME PRICE AS 8"

### **HYDRO-VAC TUBE HOLDER AND HANDLES**

#### TWO HAND STYLE

HYH-4 4" HYDRO -VAC TUBE HOLDER WITH 2 HANDLES FOR 4" TUBE OR HOSE HYH-6 6" HYDRO -VAC TUBE HOLDER WITH 2 HANDLES FOR 6" TUBE OR HOSE HYH-8 8" HYDRO -VAC TUBE HOLDER WITH 2 HANDLES FOR 4" TUBE OR HOSE

#### ONE HAND VACTOR STYLE

HYH-6-VS 6" VACTOR STYLE WITH LARGER HANDLES FOR 6" TUBE OR HOSE HYH-8-VS 8" VACTOR STYLE WITH LARGER HANDLES FOR 8" TUBE OR HOSE

### ONE HAND VACTOR STYLE

HYH-8-WH 8" TUBE CLAMP VACTOR STYLE WITH ADJUSTABLE HOOK TYPE CLAMP



### TUBE HOSE CLAMPS (KEEPS YOUR HOSE STEADY AT EVERY CONNECTION)

THV-8 TUBE HOSE CLAMP VACTOR/VAC-CON 8"

THC-8 TUBE HOSE CLAMP CAMEL/VAC-ALL 8"



Southland Tool Catalog 17

#### INDUSTRIAL HYDRO VACUUM EQUIPMENT

Industrial Vacuum Tools And Attachments Make Your Life Safer and Easier For Your Employees

Do you feel safe when vacuuming? Do you want your safety to be in your hands? Don't get caught not having this item in your safety program. It is essential and necessary for all vacuum operators to have control of the force of vacuum.

Industrial Vacuum Users Will Easily See The Benefits Of The Safety Shutter Nozzle. It Allows You To Control The Flow Of Vacuum At The Point Of Entry. With Just A Push Of A Lever You Can Completely Release The Vacuum Flow Or You Can Control The Amount Of Suction To The End Of The Nozzle.

GPSS-4BL 4" SAFETY SHUTTER SUCTION NOZZLE FOR 4" FLEX HOSE

Designed for 4" Flex Hose That Will Slip Over The Smooth Connection End. Hose Will Swivel When Connected To Allow For Easy Positioning Of The Nozzle

GPSS-6BL 6" SAFETY SHUTTER SUCTION NOZZLE FOR 6" FLEX HOSE

Same As Above But For 6" Flex Hose

GP-TRI TRI-POD FOR SAFETY SHUTTER SUCTION NOZZLES

The Tri-Pod Allows You To Set Up The Safety Nozzle For Hands Free Operation. It Works With The 4" or 6" Nozzle And Is Great For Pushing Material

To The Inlet Essential Making It A One-Man Job

GP-EXT EXTENSION HANDLE FOR SAFETY

The 3' Extension Handle Connects To The Safety Nozzle Allowing You to Stand Up Straight To Take The Strain Off Your Back. Removing The Extension Handle

Allows You To Use The Safety Nozzle In Tight Confined Areas.

GP-62 2' X 6" EXTENSION TUBE FOR GP22-6BL
GP-63 3' X 6" EXTENSION TUBE FOR GP22-6BL
GP-42 2' X 4" EXTENSION TUBE FOR GP22-6BL
GP-43 3' X 4" EXTENSION TUBE FOR GP22-6BL

All Aluminum tube extension. The suction inlet of the safety nozzle to suck underwater or in any area where you need to extend the inlet.

GP-DB-4 4" DUCKBILL NOZZLE FOR SAFETY SHUTTER SUCTION NOZZLE
GP DB 6 6" DUCKBILL NOZZLE FOR SAFETY SHUTTER SUCTION NOZZLE.

GP-DB-6 6" DUCKBILL NOZZLE FOR SAFETY SHUTTER SUCTION NOZZLE.

The Duckbill Nozzle is great for larger areas where extra width for liquids or slurry

might be needed. Special end connects directly to end of safety nozzle with clamp

GP-DB-FF8 8" DUCKBILL NOZZLE FOR SAFETY SHUTTER SUCTION NOZZLE WITH 8" FLAT FLANGE

### SPECIALTY VACUUM FITTINGS/CLAMPS/ADAPTERS

8FFX6FH 8" FLAT FLANGE X 6" FLEX HOSE ADAPTER WITH RING TO CONNECT TO BAND LOCK CLAMF

AND HOSE. YOUR HOSE WILL SWIVEL ON THIS ADAPTER. HOSE NOT INCLUDED



SAFETY VAC CONTROL!

#### TRANSITION COUPLERS CHANGE ONE TYPE TUBE TO ANOTHER

8FFX8BLF 8" FLAT FLANGE X 8" FEMALE BANDLOCK COUPLER. CONNECTS YOUR FLAT FLANGE

TUBES TO YOUR BAND LOCK MALE COUPLING. ZINC PLATED

8" FLAT FLANGE X 8" MALE BANDLOCK COUPLER. CONNECTS YOUR FLAT FLANGE TUBES

TO YOUR BAND LOCK/CAMEL FEMALE COUPLING. ZINC PLATED

6FFX6BLF 6" FLAT FLANGE X 6" FEMALE BANDLOCK COUPLER. CONNECTS YOUR FLAT FLANGE

TUBES TO YOUR BAND LOCK MALE COUPLING. ZINC PLATED

6FFX6BLM 6" FLAT FLANGE X 6" MALE BANDLOCK COUPLER. CONNECTS YOUR FLAT FLANGE TUBES

TO YOUR BAND LOCK/CAMEL FEMALE COUPLING. ZINC PLATED

### TRANSITION REDUCER COUPLERS CHANGE ONE TYPE TUBE TO ANOTHER

8FFX6FF 8" X 6" FLAT FLANGE REDUCER COUPLING. ZINC PLATED

REDUCES YOUR 8" FLAT FLANGE TUBES TO 6" FLAT FLANGE TUBES

8FFX6FF

8FFX6NPT 8" FLAT FLANGE X 6" NPT THREADED TRANSITION COUPLING

6BLFX4NPT 6" BAND LOCK FEMALE X 4" MALE NPT THREAD

8FFX6BLF 8" FLAT FLANGE REDUCER TO 6" BAND LOCK FEMALE COUPLER

REDUCES YOUR 8" FLAT FLANGE TUBES TO YOUR 6" MALE END

BAND LOCK TUBES

8FFX6BLM

8" FLAT FLANGE REDUCER TO 6" BAND LOCK MALE COUPLER REDUCES YOUR 8" FLAT FLANGE TUBES TO YOUR 6" FEMALE END

BAND LOCK TUBES



**6BLFX4NPT** 

# COUPLERS X HOSE SHANK END FOR YOUR VACUUM MACHINES

8FFX8HA 8" FLAT FLANGE X 8" HOSE ADAPTER. CONNECTS YOUR 8" FLANGE VACUUM TUBES

TO AN 8" KANAFLE TYPE VACUUM HOSE

6FFX6HA 8" FLAT FLANGE X 8" HOSE ADAPTER. CONNECTS YOUR 6" FLAT FLANGE VACUUM TUBES

TO AN 6" KANAFLE TYPE VACUUM HOSE

8" FLAT FLANGE X 6" HOSE ADAPTER REDUCER. ALL STEEL WITH MOUNTING HOLES

ZINC PLATED AND 7.5" OVERALL LENGTH (HOSE NOT INCLUDED)



### FLANGED DOUBLE HOSE SHANK REDUCER. 8" TO DOUBLE 4". OPENING FOR 4" HOSE.

8FFX44DD 8" FLAT FLANGE X DOUBLE 4" HOSE CONNECTORS. ONE WITH SAFETY GRID INCLUDED

FOR FREE AIR APPLICATION. 8" OVERALL LENGTH AND ZINC PLATED



8" FLAT FLANGE X DOUBLE 4" HOSE CONNECTOR WITH ONE 4" THREADED NPT MALE END

### **TUBE CLAMPS**

\$16584 8" VACTOR STYLE QUICK CLAMP. ADJUSTABLE TRIANGLE HOOK AND TRIMLINE HANDLE

S690-0073 6" VAC-CON STYLE QUICK CLAMP. OPEN HOOK ADJUSTABLE AND TRIMLINE HANDLE

S680-0015 8" VAC-CON STYLE QUICK CLAMP. OPEN HOOK ADJUSTABLE AND TRIMLINE HANDLE

S680-0015WLC 8" VAC-CON STYLE QUICK CLAMP. OPEN HOOK ADJUSTABLE AND TRIMLINE HANDLE

With safety pin locking device which prevents latch from opening

S42588WLC 8" BANDLOCK STYLE TUBE CLAMP With safety pin locking device which prevents latch from opening

S42587 6" BANDLOCK STYLE TUBE CLAMP

S42588 8" BANDLOCK STYLE TUBE CLAMP





### **HYDRAULIC ROOT SAW CUTTERS (MOTORS & KITS)**

#### PUMA "HD" HIGH DISPLACEMENT HYDRAULIC ROOT SAW CUTTER

SOUTHLAND TOOL Offers you the "PUMA" HD ROOT CUTTER MOTOR as our standard cutter. Don't be fooled by smaller blue motors that offer only a fraction of the power that this high displacement motor offers. It has higher cutter force to plow into roots, grease, protruding taps and other stoppages. These units fit our front flanged EZ-SKIDS as seen below with 4 bolt in front and 2 bolt in the tail Nozzle. The profile of this cutter is designed for lines from 6" and up. The motor can accommodate hose sizes of 3/4" and 1" with flow from 35 to 80 gpm and pressure from 2000 to 3000 psi. Rated up to a maximum of 235 lbs. of torque.

### **PUMA ROOT CUTTER KIT AS FOLLOWS:**

SHYK-1 PUMA "HD" HIGHER DISPLACEMENT, 1" HYDRAULIC ROOT SAW MOTOR KIT INCLUDES: 4

easy skids of 6", 8, 10" and 12". 4 HD concave root saws for 6", 8", 10" and 12", also includes 1"

HUB, Arbor turn tool, tool box and maintenance instructions.

3/4" SAME KIT AS ABOVE BUT FOR 3/4" SEWER HOSE SHYK-3/4



### MOTOR-PARTS AND CHUCKS (FOR SAW BLADES AND CUTTERS SEE PAGES 19,26,27)

1"	PUMA "HD" HIGHER DISPLACEMENT, 1" HYDRAULIC ROOT SAW MOTOR AND TAIL NOZZLE
3/4"	PUMA "HD" HIGHER DISPLACEMENT, 3/4" HYDRAULIC ROOT SAW MOTOR AND TAIL NOZZLE
1"	TAIL NOZZLE REPLACEMENT ONLY
1"	REPAIR KIT FOR PUMA MOTOR - INCLUDES SEALS, THRUST BEARING AND RACE
1"	GEROTOR FOR PUMA MOTOR
1"	ROOT SAW HUB FOR ROOT CUTTER. FOR STANDARD 1/8" THICKNESS SAW BLADES
1"	ROOT SAW HUB FOR ROOT CUTTER. FOR HEAVY DUTY 3/16" THICKNESS SAW BLADES
1"	3 BLADE CHUCK FOR ROOT CUTTER. FLAT AND CURVED BLADES SOLD SEPARATELY
	3/4" 1" 1" 1" 1" 1"

### **EZ ROOT CUTTER SKIDS FOR PUMA "HD" MOTORS**

EZ ROOT CUTTER Skids are designed to skid over the motor and bolt down to the front flange and the 2 side bolts in the tail nozzle Skid size

is stampted into the fins. NO MORE LOSING THE SKIDS OR MIXING THEM UP.

SS-6	6"	6" EZ ROOT CUTTER SKID WITH 6 RAILS.
SS-8	8"	8" EZ ROOT CUTTER SKID WITH 3 RAILS.
SS-10	10"	10" EZ ROOT CUTTER SKID WITH 3 RAILS.
SS-12	12"	12" EZ ROOT CUTTER SKID WITH 3 RAILS.
SS-15	15"	15" EZ ROOT CUTTER SKID WITH 3 RAILS.
SS-18	18"	18" EZ ROOT CUTTER SKID WITH 3 RAILS.
SS-20	20"	20" EZ ROOT CUTTER SKID WITH 3 RAILS.
SS-22	22"	22" EZ ROOT CUTTER SKID WITH 3 RAILS.
SS-24	24"	24" EZ ROOT CUTTER SKID WITH 3 RAILS.





# **DONUT SKIDS**

S950-108 FRONT 4 BOLT SKID DONUT FOR PUMA MOTOR

S950-109 REAR 2 BOLT SKID DONUT FOR PUMA MOTOR





#### SRRC-1H SUPER "RED HOT" EXTENDED DUTY HYDRAULIC ROOT CUTTER MOTORS

ROUND BODY SUPER "RED HOT" HEAVY DUTY BEARING HYDRAULIC ROOT SAW MOTOR. This SRRC-1H

motor has been specially machined for a Heavy Duty thrust bearing that performs better for extended life, smooth running and reduced maintenance problems. This larger steel bearing absorbs the constant pounding of the shaft when plowing into root masses and stoppages. This motor fits all round body skids including

Patriot and Smart Cutters.

The round profile of the cutters allows it to enter sewer lines from 4" and up. The motor can accommodate hose sizes of 1" and 3/4" with flow from 35 to 80 gpm and pressure from 2000 to 3000 psi. Rated up to maximum of 235 lbs. of torque and 175 lbs. at continuous operation. This tool has the power to clean while the bearing can take a beating and keep on ticking. This motor beat all competitor motors.

SRRC-3/4H 3/4" SAME AS ABOVE BUT FOR 3/4" HOSE.

SRRK-1H STANDARD ROUND BODY KIT With 4 skids and 4 saws 6". 8". 10" and 12"

3/4" SRRK-3/4H SAME AS ABOVE BUT FOR 3/4" HOSE.

#### SRRC-1P ROUND BODY SUPER "GREEN MACHINE" HYDRAULIC MOTOR

SOUTHLAND TOOL "SUPER GREEN MEANIE" Round Body root cutting motor is a superior cutting and ripping tool for cleaning roots, cutting taps and destroying other debris and buildup found in all sewer lines. The round profile of this motor allows it to be used in 4" pipes and up for either 3/4" or 1" Hose. Flow from 35 to 80 gpm and pressure from 1750 to 3000. 235 lbs. of torque. buy this motor only to replace your worn out Patriot or smart cutter green motor and use the green skids you have or buy our

skids, standard or wheeled.

SRRC-1P 1" ROUND BODY SUPER GREEN MEANIE 175lb. Torque motor replaces your patriot

and smart cutters. This unit fits all of your patriot and smart cutter style skids

Equipment Company.

SRRC-3/4P SAME AS ABOVE BUT FOR 3/4" HOSE. 3/4"

SRRK-3/4, 1 STANDARD ROUND BODY KIT With 4 Skids and 4 saws 6", 8", 10" and 12"



SRRK-14-15W

CITIZEN ROUND BODY "SUPER GREEN MACHINE" WHEELED KIT (Above) for pipe from 4" to 15" includes: Motor, Heavy Duty concave root saws of 4", 6", 8", 10" 12" and 15". 4" Round ring set, 6" Skid, 8", 10" adjustable wheeled skid, 12", 15" wheeled skids, 1" Hub for saws, turning maintenance tool, tool box and instructions.

### SKIDS FOR ROUND BODY "RED" AND "GREEN" ROOT CUTTER MOTORS

4" RING SET FOR ROUND BODY ROOT CUTTER RRS-4 4" RBS-6 6" SKID FOR ROUND BODY ROOT CUTTER 6"

8"

RBS-8 8" SKID FOR ROUND BODY ROOT CUTTER RBS-10 10" SKID FOR ROUND BODY ROOT CUTTER

SKID FOR ROUND BODY ROOT CUTTER RBS-12 12"

SKID FOR ROUND BODY ROOT CUTTER RBS-15 15'

**RBS-18** 18" SKID FOR ROUND BODY ROOT CUTTER

RBS-20 20" SKID FOR ROUND BODY ROOT CUTTER

SKID FOR ROUND BODY ROOT CUTTER RBS-24 24"

8"-10" ADJUSTABLE WHEELED SKID FOR ROUND APS-1

BODY MOTORS ADJUSTS FROM 8" - 10"

APS-2 12"-15" ADJUSTABLE WHEELED SKID FOR ROUN

BODY MOTORS ADJUSTS FROM 12" - 15"



22 January 2020

### "HI-TORQUE" S906 HEAVY DUTY CONTRACTOR DUTY HYDRAULIC ROOT CUTTER

Southland Tools' S906M is the largest and most powerful of the Southland Tool Hydraulic motor line up. This "Hi-Torque" motor features a *Gerotor* design that internally lowers resistance and allows the motor to operate more efficiently while producing maximum cutting results.

The S906M Series of motors have all steel thrust bearing with robust roller that can handle the higher pressure loads of larger pumps and heavy cleaning in larger lines. This motor has long been referred to as the "Contractor Duty" motor as it holds up well under intense use for longer periods of time. Designed for lines from 6" to 30" the motor comes in 3/4", 1" and 1.25". It can handle flows of 10 to 170 gpm and pressure of 1500 to 3000 psi. It is rated to a maximum torque of 288 lbs. and 220 lbs. of continuous torque which is required for cutting taps in larger sizes.



#### HI-TORQUE HYDRAULIC ROOT SAW CUTTER KITS AND MOTORS

S906K-1 "Hi-Torque" Hydraulic root saw motor includes: 4 easy skids of 6", 8", 10" and 12". 4 HD Concave root saws for 6", 8", 10 and 12", also includes 1" Hub, Arbor turn tool, tool box and maintenance instructions.

S906K-3/4 Same as above but for 3/4" hose.

S906M-1 HI-TORQUE HYDRAULIC ROOT CUTTER MOTOR ONLY FOR 1" SEWER HOSE

S906M-3/4 HI-TORQUE HYDRAULIC ROOT CUTTER MOTOR ONLY FOR 3/4" SEWER HOSE

S906M-1.25 HI-TORQUE HYDRAULIC ROOT CUTTER MOTOR ONLY FOR 1.25" SEWER HOSE



S906K-1 HI-TORQUE KIT

### For Recyclers! HI-TORQUE "ADVANCED KINETICS" CORROSION RESISTANT MOTOR

The S906M-AK series of motors is Southland Flagship motor. This motor is built for the same platform as the standard S-906M motor but has an infusion process at the cellular level applied to the internal parts that make it silky smooth to turn and ideal for recycler units, this process improves hydraulic performance and almost eliminates internal corrosion. This process known as "Advanced Kinetics" used a patented finish that improves coefficient allowing parts to run smoother which reduces drag, saves water and increases productivity. Known to sit for weeks with water inside and still turns.



S906M-1-AK
S906M-3/4-AK
HI-TORQUE HYDRAULIC ROOT CUTTER MOTOR ONLY 1" SEWER HOSE
HI-TORQUE HYDRAULIC ROOT CUTTER MOTOR ONLY 3/4" SEWER HOSE
HI-TORQUE HYDRAULIC ROOT CUTTER MOTOR ONLY FOR 1.25" SEWER HOSE
HI-TORQUE HYDRAULIC ROOT CUTTER MOTOR ONLY FOR 1.50" SEWER HOSE



#### **MOTOR-PARTS**

SKP-1R 1" REPAIR KIT FOR PUMA MOTOR - INCLUDES SEALS, THRUST BEARING AND RACE GER-1-S906 1" GE-ROLLER FOR 906 AK MOTOR

### SKIDS FOR HI-TORQUE S906M STYLE ROOT CUTTERS

STSS-6	6"	6" EASY ROOT CUTTER SKID WITH 6 RAILS
STSS-8	8"	8" EASY ROOT CUTTER SKID WITH 3 RAILS
STSS-10	10"	10" EASY ROOT CUTTER SKID WITH 3 RAILS
STSS-12	12"	12" EASY ROOT CUTTER SKID WITH 3 RAILS
STSS-15	15"	15" EASY ROOT CUTTER SKID WITH 3 RAILS
STSS-18	18"	18" EASY ROOT CUTTER SKID WITH 3 RAILS
STSS-20	20"	20" EASY ROOT CUTTER SKID WITH 3 RAILS
STSS-22	22"	20" EASY ROOT CUTTER SKID WITH 3 RAILS
STSS-24	24"	24" EASY ROOT CUTTER SKID WITH 3 RAILS



### "PURPLE DEBRIS EATER" LATERAL ROOT CUTTER MOTORS FOR SMALLER LINES

Southland Tool "PURPLE DEBRIS EATER" Lateral root cutter motor packs a punch as it uses high torque and low speed to grind up grease and rip through roots in smaller 3" to 8" lines. Sized for 1/2", 3/4" or 1" hose it can accommodate pressures from 900 to 2000 psi and flows from 20 to 80 gpm. These purple motors can be bought alone or in kits. Skids are one piece design so they are easy to install.

S903K-1/2 1/2" LATERAL MOTOR KIT INCLUDES: Concave saws from 4" to 8" and EZ skids of 4", 6" and 8".

Arbor turning tool, Allen wrench, Tool box and Maintenance instructions.

S903K-3/4 3/4" LATERAL MOTOR COMPLETE KIT AS ABOVE BUT for 3/4" HOSE S903K-1 1" LATERAL MOTOR COMPLETE KIT AS ABOVE BUT FOR 1" HOSE

S903M LATERAL MOTOR ONLY. PLEASE SECIFY WITH 1/2", 3/4" OR 1"





### ROOT CUTTER SKIDS AND RINGS FOR PURPLE DEBRIS EATER LATERAL CUTTER MOTOR

LKS-3 LATERAL ROOT CUTTER SKID RING SET FOR 3" PIPE

LKS-4 LATERAL ROOT CUTTER SKID FOR 4" PIPE LKS-6 LATERAL ROOT CUTTER SKID FOR 6" PIPE LKS-8 LATERAL ROOT CUTTER SKID FOR 8" PIPE

RSH-5B 5/8" HUB FOR HYDRAULIC ROOT CUTTER SAW 3BHC-2 3 BLADE CHUCK FOR 5/8" HYD. ROOT CUTTER



### **ROOT CUTTER HUBS/CHUCK FOR 1" SHAFT MOTORS**

RSH-1A 1" HUB FOR HYDRAULIC ROOT CUTTER STD. SAW 1/8" RSH-1B 1" HUB FOR HYDRAULIC ROOT CUTTER HD. SAW 3/16"

RSH-5B 5/8" HUB FOR HYDRAULIC ROOT CUTTER SAW FOR 3/16 SAW BLADE RSH-5C 5/8" HUB FOR HYDRAULIC ROOT CUTTER SAW FOR 1/8 SAW BLADE

3BHC-1 3 BLADE CHUCK FOR 1" HYD. ROOT CUTTER

**GOPHER SKIDS** 

GFR-6 6" GOPHER ROOT SAW SKID ASSEMBLY WITH FRONT RING AND REAR COLLAR
GFR-8 8" GOPHER ROOT SAW SKID ASSEMBLY WITH FRONT RING AND REAR COLLAR
GFR-10 10" GOPHER ROOT SAW SKID ASSEMBLY WITH FRONT RING AND REAR COLLAR
GFR-12 12" GOPHER ROOT SAW SKID ASSEMBLY WITH FRONT RING AND REAR COLLAR
GFR-15 15" GOPHER ROOT SAW SKID ASSEMBLY WITH FRONT RING AND REAR COLLAR



### SHAMROCK STYLE 2-PART SKIDS FOR HI-TORQUE S906 ROOT CUTTERS

STSS-6S	6" SHAMROCK STYLE 2-PART SKIDS
STSS-8S	8" SHAMROCK STYLE 2-PART SKIDS
STSS-10S	10" SHAMROCK STYLE 2-PART SKIDS
STSS-12S	12" SHAMROCK STYLE 2-PART SKIDS
STSS-15S	15" SHAMROCK STYLE 2-PART SKIDS
STSS-18S	18" SHAMROCK STYLE 2-PART SKIDS
STSS-20S	20" SHAMROCK STYLE 2-PART SKIDS
STSS-22S	22" SHAMROCK STYLE 2-PART SKIDS
STSS-24S	24" SHAMROCK STYLE 2-PART SKIDS



### SPECIALTY ROOT SAW BLADES CALCIUM CUTTER AND TAP CUTTERS

### **CARBIDE TIPPED CONCAVE ROOT SAWS**

SCS-6	6"	CARBIDE TIPPED CONCAVE ROOT SAW BLADE ONLY. 3/16" THICK
SCS-8	8"	CARBIDE TIPPED CONCAVE ROOT SAW BLADE ONLY. 3/16" THICK
SCS-10	10"	CARBIDE TIPPED CONCAVE ROOT SAW BLADE ONLY. 3/16" THICK
SCS-12	12"	CARBIDE TIPPED CONCAVE ROOT SAW BLADE ONLY. 3/16" THICK
SCS-15	15"	CARBIDE TIPPED CONCAVE ROOT SAW BLADE ONLY 3/16" THICK



SCFS-6	6"	CARBIDE TIPPED FLAT ROOT SAW BLADE ONLY. 3/16" THICK
SCFS-8	8"	CARBIDE TIPPED FLAT ROOT SAW BLADE ONLY. 3/16" THICK
SCFS-10	10"	CARBIDE TIPPED FLAT ROOT SAW BLADE ONLY. 3/16" THICK
SCFS-12	12"	CARBIDE TIPPED FLAT ROOT SAW BLADE ONLY. 3/16" THICK
SCFS-15	15"	CARBIDE TIPPED FLAT ROOT SAW BLADE ONLY. 3/16" THICK

#### **CARBIDE WRAPPED CONCAVE ROOT SAWS**

SCS-6W	6"	CARBIDE TIPPED AND CARBIDE WRAPPED CONCAVE ROOT SAW
SCS-8W	8"	CARBIDE TIPPED AND CARBIDE WRAPPED CONCAVE ROOT SAW
SCS-10W	10"	CARBIDE TIPPED AND CARBIDE WRAPPED CONCAVE ROOT SAW
SCS-12W	12"	CARBIDE TIPPED AND CARBIDE WRAPPED CONCAVE ROOT SAW
SCS-15W	15"	CARBIDE TIPPED AND CARBIDE WRAPPED CONCAVE ROOT SAW

### **CARBIDE WRAPPED FLAT ROOT SAWS**

SCFS-6W SCFS-8W	6" 8"	CARBIDE TIPPED AND CARBIDE WRAPPED FLAT ROOT SAW
SCFS-10W	10"	CARBIDE TIPPED AND CARBIDE WRAPPED FLAT ROOT SAW
SCFS-12W SCFS-15W	12" 15"	CARBIDE TIPPED AND CARBIDE WRAPPED FLAT ROOT SAW CARBIDE TIPPED AND CARBIDE WRAPPED FLAT ROOT SAW

ANY SAW IS AVAILABLE WITH A WELDED ON 1" ARBOR HUB FOR \$60.00 ADD "WH" TO PART NUMBER

### SUPER DUTY LARGE DIAMETER CONCAVE ROOT SAWS WITH SPOKES AND 1" HUB

SCRS-12	12"	CONCAVE HD SAW WITH 3 SPOKES AND 1" HUB
SCRS-15	15"	CONCAVE HD SAW WITH 3 SPOKES AND 1" HUB
SCRS-18	18"	CONCAVE HD SAW WITH 3 SPOKES AND 1" HUB
SCRS-20	20"	CONCAVE HD SAW WITH 3 SPOKES AND 1" HUB
SCRS-22	22"	CONCAVE HD SAW WITH 3 SPOKES AND 1" HUB
SCRS-24	24"	CONCAVE HD SAW WITH 3 SPOKES AND 1" HUB

#### SUPER DUTY LARGE DIAMETER FLAT ROOT SAW WITH SPOKES AND 1" HUB

SFRS-12	12"	FLAT HD SAW WITH 3 SPOKES AND 1" HUB
SFRS-15	15"	FLAT HD SAW WITH 3 SPOKES AND 1" HUB
SFRS-18	18"	FLAT HD SAW WITH 3 SPOKES AND 1" HUB
SFRS-20	20"	FLAT HD SAW WITH 3 SPOKES AND 1" HUB
SFRS-22	22"	FLAT HD SAW WITH 3 SPOKES AND 1" HUB
SFRS-24	24"	FLAT HD SAW WITH 3 SPOKES AND 1" HUB
SFRS-30	30"	FLAT HD SAW WITH 3 SPOKES AND 1" HUB

### SUPER DUTY LARGE DIAMETER CARBIDE TIPPED ROOT SAWS WITH SPOKES AND 1" HUB

SCRS-12HD	12"	CONCAVE HD SAW WITH 3 SPOKES AND 1" HUB, CARBIDE TIPPED
SCRS-15HD	15"	CONCAVE HD SAW WITH 3 SPOKES AND 1" HUB, CARBIDE TIPPED
SCRS-18HD	18"	CONCAVE HD SAW WITH 3 SPOKES AND 1" HUB, CARBIDE TIPPED
SCRS-20HD	20"	CONCAVE HD SAW WITH 3 SPOKES AND 1" HUB, CARBIDE TIPPED
SCRS-22HD	22"	CONCAVE HD SAW WITH 3 SPOKES AND 1" HUB, CARBIDE TIPPED
SCRS-24HD	24"	CONCAVE HD SAW WITH 3 SPOKES AND 1" HUB CARRIDE TIPPED

### SUPER DUTY LARGE DIAMETER SHAM STYLE SEGMENTED SAWS WITH SPOKES AND 1" HUB

SH-SAW-12	12"	12" SHAM STYLE SEGMENTED SAW W/ SPOKES AND 1" WELDED HUB/SHAFT
SH-SAW-15	15"	12" SHAM STYLE SEGMENTED SAW W/ SPOKES AND 1" WELDED HUB/SHAFT
SH-SAW-18	18"	12" SHAM STYLE SEGMENTED SAW W/ SPOKES AND 1" WELDED HUB/SHAFT
SH-SAW-21	21"	12" SHAM STYLE SEGMENTED SAW W/ SPOKES AND 1" WELDED HUB/SHAFT
SH-SAW-22	22"	12" SHAM STYLE SEGMENTED SAW W/ SPOKES AND 1" WELDED HUB/SHAFT
SH-SAW-24	24"	12" SHAM STYLE SEGMENTED SAW W/ SPOKES AND 1" WELDED HUB/SHAFT









# **NOZZLE EXTENSIONS 1" - 3/4" - 1/2"**

SSE-1		IGHT STYLE LIGHTWEIGHT NOZZLE EXTENSION 1" X 13" LONG
SSE-3/4 SSE-1/2		IGHT STYLE LIGHTWEIGHT NOZZLE EXTENSION 3/4" X 13" LONG IGHT STYLE LIGHTWEIGHT NOZZLE EXTENSION 1/2" X 13" LONG
33E-1/2	SIKA	IGHT STILE LIGHT WEIGHT NOZZLE EXTENSION 1/2 X 13 LONG
		EXTENSIONS 1"
FE-41	4" 6"	1" X 4" 4 FINNED NOZZLE EXTENSION 1" X 6" 4 FINNED NOZZLE EXTENSION
FE-61 FE-81	8"	1" X 8" 4 FINNED NOZZLE EXTENSION
FE-101	10"	1" X 10" 4 FINNED NOZZLE EXTENSION
FE-121	12"	1" X 12" 4 FINNED NOZZLE EXTENSION
FE-151	15"	1" X 15" 4 FINNED NOZZLE EXTENSION
4-FINNED N	OZZLE I	EXTENSIONS 3/4"
FE-434	4"	3/4" X 4" 4 FINNED NOZZLE EXTENSION
FE-634	6"	3/4" X 6" 4 FINNED NOZZLE EXTENSION
FE-834 FE-1034	8" 40"	3/4" X 8" 4 FINNED NOZZLE EXTENSION 3/4" X 10" 4 FINNED NOZZLE EXTENSION
FE-1034 FE-1234	10" 12"	3/4" X 10" 4 FINNED NOZZLE EXTENSION 3/4" X 12" 4 FINNED NOZZLE EXTENSION
		EXTENSIONS 1/2"  1/2" X 4" 4 FINNED NOZZLE EXTENSION
FE-412 FE-612	4" 6"	1/2" X 4" 4 FINNED NOZZLE EXTENSION 1/2" X 6" 4 FINNED NOZZLE EXTENSION
FE-812	8"	1/2" X 8" 4 FINNED NOZZLE EXTENSION
FE-1012	10"	1/2" X 10" 4 FINNED NOZZLE EXTENSION
FE-1212	12"	1/2" X 12" 4 FINNED NOZZLE EXTENSION
6-FINNED H	EAVY D	UTY NOZZLE EXTENSIONS
FE-61-6	6"	1" X 6" 6 FINNED, 3/16" THICK HEAVY DUTY EXTENSION
FE-81-6	8"	1" X 8" 6 FINNED, 3/16" THICK HEAVY DUTY EXTENSION
FE-101-6 FE-121-6	10"	1" X 10" 6 FINNED, 3/16" THICK HEAVY DUTY EXTENSION
FE-121-6 FE-151-6	12" 15"	1" X 12" 6 FINNED, 3/16" THICK HEAVY DUTY EXTENSION 1" X 15" 6 FINNED, 3/16" THICK HEAVY DUTY EXTENSION
FE-181-6	18"	1" X 18" 6 FINNED, 3/16" THICK HEAVY DUTY EXTENSION
6 WIDE NO	771 E EV	TENSIONS 1"
<u>6-VVIRE NO2</u> WNE-41	4"	1" X 4" 6 WIRE NOZZLE EXTENSION
WNE-61	<b>6</b> "	1" X 6" 6 WIRE NOZZLE EXTENSION
WNE-81	8"	1" X 8" 6 WIRE NOZZLE EXTENSION
WNE-101	10"	1" X 10" 6 WIRE NOZZLE EXTENSION
WNE-121 WNE-151	12" 15"	1" X 12" 6 WIRE NOZZLE EXTENSION 1" X 15" 6 WIRE NOZZLE EXTENSION
WNE-181	18"	1" X 18" 6 WIRE NOZZLE EXTENSION 1" X 18" 6 WIRE NOZZLE EXTENSION
WNE-201	20"	1" X 20" 6 WIRE NOZZLE EXTENSION
WNE-241	24" 771 E EV	1" X 24" 6 WIRE NOZZLE EXTENSION
<u>6-WIRE NO2</u> WNE-434	4"	TENSIONS ¾"  ¾" X 4" 6 WIRE NOZZLE EXTENSION
WNE-634	6"	3/4" X 6" 6 WIRE NOZZLE EXTENSION
WNE-834	8"	3/4" X 8" 6 WIRE NOZZLE EXTENSION
WNE-1034	10"	3/4" X 10" 6 WIRE NOZZLE EXTENSION
WNE-1234	12"	3/4" X 12" 6 WIRE NOZZLE EXTENSION
WNE-1534	15"	3/4" X 15" 6 WIRE NOZZLE EXTENSION
6-WIRE NOZ		TENSIONS ½"
WNE-412	4"	1/2" X 4" 6 WIRE NOZZLE EXTENSION
WNE-612	6"	½" X 6" 6 WIRE NOZZLE EXTENSION
4-WIRE NOZ	ZZLE EX	TENSIONS 1"
W4-1	4"	1" X 4" 4 WIRE NOZZLE EXTENSION
W6-1	6" o"	1" X 6" 4 WIRE NOZZLE EXTENSION
W8-1 W10-1	8" 10"	1" X 8" 4 WIRE NOZZLE EXTENSION 1" X 10" 4 WIRE NOZZLE EXTENSION

26 January 2020

1" X 10" 4 WIRE NOZZLE EXTENSION

1" X 12" 4 WIRE NOZZLE EXTENSION

3/4" X 4" 4 WIRE NOZZLE EXTENSION

3/4" X 6" 4 WIRE NOZZLE EXTENSION

3/4" X 8" 4 WIRE NOZZLE EXTENSION

3/4" X 10" 4 WIRE NOZZLE EXTENSION

3/4" X 12" 4 WIRE NOZZLE EXTENSION

10"

12"

4-WIRE NOZZLE EXTENSIONS 3/4"

4"

6"

8"

10"

12"

W10-1

W12-1

W4-34

W6-34 W8-34

W10-34

W12-34

### **4-WIRE NOZZLE EXTENSIONS 1/2"**

W4-12	4"	1/2" X 4" 4 WIRE NOZZLE EXTENSION
W6-12	6"	1/2" X 6" 4 WIRE NOZZLE EXTENSION
W8-12	8"	1/2" X 8" 4 WIRE NOZZLE EXTENSION
W10-12	10"	1/2" X 10" 4 WIRE NOZZLE EXTENSION

#### **FOOTBALL STYLE NOZZLE EXTENSIONS 1"**

NFL-41	4"	1" X 4" FOOTBALL NOZZLE EXTENSION
NFL-61	6"	1" X 6" FOOTBALL NOZZLE EXTENSION
NFL-81	8"	1" X 8" FOOTBALL NOZZLE EXTENSION
NFL-101	10"	1" X 10" FOOTBALL NOZZLE EXTENSION
NFL-121	12"	1" X 12" FOOTBALL NOZZLE EXTENSION
NFL-151	15"	1" X 15" FOOTBALL NOZZLE EXTENSION

#### **FOOTBALL STYLE NOZZLE EXTENSIONS 3/4"**

NFL-434	4"	3/4" X 4" FOOTBALL NOZZLE EXTENSION
NFL-634	6"	3/4" X 6" FOOTBALL NOZZLE EXTENSION
NFL-834	8"	3/4" X 8" FOOTBALL NOZZLE EXTENSION
NFL-1034	10"	3/4" X 10" FOOTBALL NOZZLE EXTENSION
NFL-1234	12"	3/4" X 12" FOOTBALL NOZZLE EXTENSION

#### **FOOTBALL STYLE NOZZLE EXTENSIONS 1/2"**

NFL-412	4"	1/2" X 4" FOOTBALL NOZZLE EXTENSION
NFL-612	6"	1/2" X 6" FOOTBALL NOZZLE EXTENSION
NFL-812	8"	1/2" X 8" FOOTBALL NOZZLE EXTENSION
NFL-1012	10"	1/2" X 10" FOOTBALL NOZZLE EXTENSION

### SUPER SHORT 8" FOOTBALL STYLE NOZZLE EXTENSIONS FOR 1" HOSE

NFL-41SS 4" 4" FOOTBALL NOZZLE EXTENSION 8" LONG
NFL-61SS 6" 6" FOOTBALL NOZZLE EXTENSION 8" LONG
NFL-81SS 8" FOOTBALL NOZZLE EXTENSION 8" LONG

#### FINNED NOZZLE EXTENSION WITH WHEELS 1"

WE-61	6"	1" WHEELED NOZZLE EXTENSION FOR 6" AND UP
WE-81	8"	1" WHEELED NOZZLE EXTENSION FOR 8" AND UP
WE-101	10"	1" WHEELED NOZZLE EXTENSION FOR 10" AND UP
WE-121	12"	1" WHEELED NOZZLE EXTENSION FOR 12" AND UP
WE-151	15"	1" WHEELED NOZZLE EXTENSION FOR 15" AND UP

### **FINNED NOZZLE EXTENSION WITH WHEELS 3/4"**

WE-634	6"	3/4" WHEELED NOZZLE EXTENSION FOR 6" AND UP
WE-834	8"	3/4" WHEELED NOZZLE EXTENSION FOR 8" AND UP
WE-1034	10"	3/4" WHEELED NOZZLE EXTENSION FOR 10" AND UP
WE-1234	12"	3/4" WHEELED NOZZLE EXTENSION FOR 12" AND UP
WE-1534	15"	3/4" WHEELED NOZZLE EXTENSION FOR 15" AND UP

### **HEAVY DUTY TUBE STYLE EXTENSION (12" LONG)**

TSE-1/2 HEAVY DUTY TUBE STYLE NOZZLE EXTENSION ½"
TSE-3/4 HEAVY DUTY TUBE STYLE NOZZLE EXTENSION ¾"
TSE-1 HEAVY DUTY TUBE STYLE NOZZLE EXTENSION 1"

### SUPER SHORT 10 LEG PROOFERS (WELDED/NON REPLACEABLE

### ALL PROOFERS ARE ½" UNDER SIZE

S-6	6"	SHORT PROOFER 6" O.D. X 1" (12" LONG)
S-8	8"	SHORT PROOFER 8" O.D. X 1" (12" LONG)
S-10	10"	SHORT PROOFER 10" O.D. X 1" (12" LONG)
S-12	12"	SHORT PROOFER 12" O.D. X 1" (17" LONG)
S-15	15"	SHORT PROOFER 15" O.D. X 1" (19" LONG)
S-18	18"	SHORT PROOFER 18" O.D. X 1" (23" LONG)
S-20	20"	SHORT PROOFER 20" O.D.X 1" (24" LONG)
S-24	24"	SHORT PROOFER 24" O.D. X 1" (28" LONG)
FOR 3/4" PROOFE	R, ADD "34" AFTE	R PART NUMBER. SAME PRICE

### LONG 10 LEG PROOFERS (REMOVABLE/REPLACEABLE)

#### ALL PROOFERS ARE 1/2" UNDER SIZE

L-6	6"	LONG PROOFER 6" O.D. X 1" (12" LONG)
L-8	8"	LONG PROOFER 8" O.D. X 1" (18" LONG)
L-10	10"	LONG PROOFER 10" O.D. X 1" (20" LONG)
L-12	12"	LONG PROOFER 12" O.D. X 1" (22" LONG)
L-15	15"	LONG PROOFER 15" O.D. X 1" (25" LONG)
L-18	18"	LONG PROOFER 18" O.D. X 1" (28" LONG)
L-20	20"	LONG PROOFER 20" O.D. X 1" (30" LONG)
L-24	24"	LONG PROOFER 24" O.D. X 1" (34" LONG)











### SECTIONAL AND CONTINUOUS ROD, TOOLS AND ACCESSORIES

#### **ADAPTER RODS** AR-1-1 ADAPTER ROD (8" Long) AR-1-2 3/8" ADAPTER ROD (8" Long) AR-1-SS 5/16" SUPER SHORT (4" Long) AR-1-2SS 3/8" SUPER SHORT (4" Long) **PREMIUM PUMA RODS** STR-1-1 PREMIUM SEWER ROD COMPLETE WITH COUPLING 5/16" X 36' STR-1-2 5/16" X 39" PREMIUM SEWER ROD COMPLETE WITH COUPLING PREMIUM SEWER ROD COMPLETE WITH COUPLING STR-1-3 5/16" X 48" STR-1-4 5/16" X 60" PREMIUM SEWER ROD COMPLETE WITH COUPLING STR-1-5 5/16" X 72" PREMIUM SEWER ROD COMPLETE WITH COUPLING 3/8" X 36" PREMIUM SEWER ROD COMPLETE WITH COUPLING STR-1-6 PREMIUM SEWER ROD COMPLETE WITH COUPLING STR-1-7 3/8"X 39" STR-1-8 3/8" X 48\* PREMIUM SEWER ROD COMPLETE WITH COUPLING 3/8" X 60" PREMIUM SEWER ROD COMPLETE WITH COUPLING STR-1-9 3/8" X 72" PREMIUM SEWER ROD COMPLETE WITH COUPLING STR-1-10 **PUMA SILVER RODS** STB-1-1 5/16" X 36" SEWER ROD COMPLETE WITH COUPLING STB-1-2 SEWER ROD COMPLETE WITH COUPLING 5/16" X 39" STB-1-3 5/16" X 48" SEWER ROD COMPLETE WITH COUPLING STB-1-4 5/16" X 60" SEWER ROD COMPLETE WITH COUPLING STB-1-5 SEWER ROD COMPLETE WITH COUPLING 5/16" X 72" STB-1-6 3/8" X 36" SEWER ROD COMPLETE WITH COUPLING STB-1-7 SEWER ROD COMPLETE WITH COUPLING 3/8"X 39" STB-1-8 3/8" X 48" SEWER ROD COMPLETE WITH COUPLING STB-1-9 3/8" X 60" SEWER ROD COMPLETE WITH COUPLING STB-1-10 3/8" X 72" SEWER ROD COMPLETE WITH COUPLING **QUICK COUPLE RODS** ALL 5/16" RODS ARE AVAILABLE WITH QUICK CONNECT DISCONNECT SPRING LOADED PIN COUPLINGS. PLEASE ADD "R" TO PART NUMBER AND ADD \$10.00 TO EACH ROD OR TOOL QUICK DISCONNECT TOOL FOR ABOVE QUICK COUPLE RODS PIN-1 PIN-1 **ROD TOOLS PICK UP TOOLS** PICK UP TOOL FOR SECTIONAL ROD P1-1 5/16" PICK UP TOOL FOR SECTIONAL ROD P1-2 3/8" P1-3 PICK UP TOOL FOR CONTINUOUS ROD **SPEAR HEADS** 2" SPEAR HEAD WITH 5/16" ADAPTER ROD AND COUPLING B2-1 2" SPEAR HEAD WITH 3/8" ADAPTER ROD AND COUPLING B2-2 4" SPEAR HEAD WITH 5/16" ADAPTER ROD AND COUPLING B4-1 4 SPEAR HEAD WITH 3/8" ADAPTER ROD AND COUPLING B4-2 **ASSEMBLY TOOLS** ASSEMBLY WRENCH T1-1 5/16" T1-2 3/8" ASSEMBLY WRENCH T2-1 5/16" ASSEMBLY TURNING HANDLE 3/8" ASSEMBLY TURNING HANDLE T2-2 **PULL OUT AND TURNING TOOLS PULL OUT TOOL** T3-1 5/16" 3/8" **PULL OUT TOOL** T3-2 5/16" **PULL OUT & TWISTING HANDLE** T4-1 T4-2 3/8" **PULL OUT & TWISTING HANDLE** T5-1 BAR TURNING HANDLE FOR 5/16" AND 3/8'

28

Т8	1/4" - 3/8"	ROUND ROD PULL-OUT FITS TOOLS 1/4" TO 3/8"	
T11 T12	5/16" 5/16"	ROD TURNING RATCHET SINGLE FOR 5/16" RODS ROD TURNING RATCHET ONE MAN DOUBLE	
T13 T14	3/8" 3/8"	ROD TURNING RATCHET SINGLE FOR 3/8" RODS ROD TURNING RATCHET ONE MAN DOUBLE	
SPECIAL BO	RING TOOLS		
T6-1	5/16"	LOOP SWIVEL TOOL	
T6-2	3/8"	LOOP SWIVEL TOOL	
T7-1	5/16"	SAND LEADER WITH ADAPTER ROD & COUPLING	
T7-2	3/8"	SAND LEADER WITH ADAPTER ROD & COUPLING	
T9-1	5/16"	BULLET TOOL WITH ADAPTER ROD	
T9-1	3/8"	BULLET TOOL WITH ADAPTER ROD	
T10-1	5/16"	PILOT BULLET TOOL WITH PULLOUT SWIVEL WITH ADAPTER ROD	
T10-2	3/8"	PILOT BULLET TOOL WITH PULLOUT SWIVEL WITH ADAPTER ROD	
T15-1	5/16"	"WINTERS" ROOT SAW COUPLING. COMBINE WITH ANY 2 ROOT SAW	
T15-2	3/8"	"WINTERS" ROOT SAW COUPLING. COMBINE WITH ANY 2 ROOT SAW	
CONTINUOUS ROD TOOLS SEE NOTE: FOR ANY TOOL WITH SET SCREW COUPLING ADD "SS" AND EITHER 3 FOR .375, 4 FOR .393, 5 FOR .415 OR 6 FOR .461 USE 3/8" PRICE FOR EXAMPLE: T9-SS-3 BULLET TOOL WITH .375 SET SCREW COUPLING.			

### **CLEANING TOOLS**

### **ROUND WIRE CORKSCREWS**

F1-1	1-1/2"	USE WITH 5/16" ROD
F1-2	1-1/2"	USE WITH 3/8" ROD
F2-1	2"	USE WITH 5/16" ROD
F2-2	2"	USE WITH 3/8" ROD
F3-1	3"	USE WITH 5/16" ROD
F3-2	3"	USE WITH 3/8" ROD
F4-1	3-1/2"	USE WITH 5/16" ROD
F4-2	3-1/2"	USE WITH 3/8" ROD
F5-1	5"	USE WITH 5/16" ADAPTER ROD
F5-2	5"	USE WITH 3/8" ROD
F6-1	6"	USE WITH 5/16" ADAPTER ROD
F6-2	6"	USE WITH 3/8" ROD



### **DOUBLE ROUND WIRE CORKSCREWS**

		<u> </u>
FD3-1	3"	USE WITH 5/16" ROD
FD3-2	3"	USE WITH 3/8" ROD
FD4-1	4"	USE WITH 5/16" ROD
FD4-2	4"	USE WITH 3/8" ROD
FD6-1	6"	USE WITH 5/16" ROD
FD6-2	6"	USE WITH 3/8" ROD



### **SAND CORKSCREWS**

G-3-1	3"	SAND CORKSCREW USE WITH 5/16" ROD
G-3-2	3"	SAND CORKSCREW USE WITH 3/8" ROD



NOTE: For any cleaning tool you can buy the tool only less the coupling and adapter rod by adding a "B" after the part number

#### **AUGERS**

A2-1	2"	AUGER FOR 5/16" ROD
A2-2	2"	AUGER FOR 3/8" ROD
A3-1	3"	AUGER FOR 5/16" ROD
A3-2	3"	AUGER FOR 3/8" ROD
A4-1	4"	AUGER FOR 5/16" ROD
A4-2	4"	AUGER FOR 3/8" ROD
A5-1	5"	AUGER FOR 5/16" ROD
A5-2	5"	AUGER FOR 3/8" ROD
A6-1	6"	AUGER FOR 5/16" ROD
A6-2	6"	AUGER FOR 3/8" ROD
A8-1	8"	AUGER FOR 5/16" ROD
A8-2	8"	AUGER FOR 3/8" ROD
A10-1	10"	AUGER FOR 5/16" ROD
A10-2	10"	AUGER FOR 3/8" ROD



Set Screw Ends: For Set Screw Coupling Add "SS" and Either 3 for .375, 4 for .393, 5 for .415 or 6 for .461 rod. Direct Hook Ends: For Direct Hook End Add "DH" and Either 3 for .375, 4 for .393, 5 for .415 or 6 for .461 rod.

#### **SQUARE BAR CORKSCREWS**

OGUAIL DAIL	CONTROCKEN	2
E2-1	2"	SQUARE BAR CORKSCREW FOR 5/16" ROD
E2-2	2"	SQUARE BAR CORKSCREW FOR 3/8" ROD
E3-1	3"	SQUARE BAR CORKSCREW FOR 5/16" ROD
E3-2	3"	SQUARE BAR CORKSCREW FOR 3/8" ROD
E4-1	4"	SQUARE BAR CORKSCREW FOR 5/16" ROD
E4-2	4"	SQUARE BAR CORKSCREW FOR 3/8" ROD
E5-1	5"	SQUARE BAR CORKSCREW FOR 5/16" ROD
E5-2	5"	SQUARE BAR CORKSCREW FOR 3/8" ROD
E6-1	6"	SQUARE BAR CORKSCREW FOR 5/16" ROD
E6-2	6"	SQUARE BAR CORKSCREW FOR 3/8" ROD
E8-1	8"	SQUARE BAR CORKSCREW FOR 5/16" ROD
E8-2	8"	SQUARE BAR CORKSCREW FOR 3/8" ROD
E8-4	8" HD	8" HD SQUARE BAR CORKSCREW FOR 5/16"
E8-5	8" HD	8" HD SQUARE BAR CORKSCREW FOR 3/8"
E10-1	10"	SQUARE BAR CORKSCREW FOR 5/16" ROD
E10-2	10"	SQUARE BAR CORKSCREW FOR 3/8" ROD
E12-1	12"	SQUARE BAR CORKSCREW FOR 5/16" ROD
E12-2	12"	SQUARE BAR CORKSCREW FOR 3/8" ROD



Set Screw Ends: For Set Screw Coupling Add "SS" and Either 3 for .375, 4 for .393, 5 for .415 or 6 for .461 rod. Direct Hook Ends: For Direct Hook End Add "DH" and Either 3 for .375, 4 for .393, 5 for .415 or 6 for .461 rod.

### **ROOT SAWS**

#### STANDARD DUTY CONCAVE ROOT SAW

<u>OIANDAIN</u>	<u> </u>	TOAVE ROOT DAW
CRS-3-1	3"	CONCAVE ROOT SAW FOR 5/16" ROD
CRS-3-2	3"	CONCAVE ROOT SAW FOR 3/8" ROD
CRS-4-1	4"	CONCAVE ROOT SAW FOR 5/16" ROD
CRS-4-2	4"	CONCAVE ROOT SAW FOR 3/8" ROD
CRS-5-1	5"	CONCAVE ROOT SAW FOR 5/16" ROD
CRS-5-2	5"	CONCAVE ROOT SAW FOR 3/8" ROD
CRS-6-1	6"	CONCAVE ROOT SAW FOR 5/16" ROD
CRS-6-2	6"	CONCAVE ROOT SAW FOR 3/8" ROD
CRS-8-1	8"	CONCAVE ROOT SAW FOR 5/16" ROD
CRS-8-2	8"	CONCAVE ROOT SAW FOR 3/8" ROD
CRS-10-1	10"	CONCAVE ROOT SAW FOR 5/16" ROD
CRS-10-2	10"	CONCAVE ROOT SAW FOR 3/8" ROD
CRS-12-1	12"	CONCAVE ROOT SAW FOR 5/16" ROD
CRS-12-2	12"	CONCAVE ROOT SAW FOR 3/8" ROD
CRS-15-1	15"	CONCAVE ROOT SAW FOR 5/16" ROD
CRS-15-2	15"	CONCAVE ROOT SAW FOR 3/8" ROD



Set Screw Ends: For Set Screw Coupling Add "SS" and Either 3 for .375, 4 for .393, 5 for .415 or 6 for .461 rod. Direct Hook Ends: For Direct Hook End Add "DH" and Either 3 for .375, 4 for .393, 5 for .415 or 6 for .461 rod.

NOTE: For any cleaning tool you can buy the tool only less the coupling and adapter rod by adding a "B" after the part number

### STANDARD DUTY FLAT ROOT SAWS

FRS-3-1	3"	STANDARD FLAT ROOT SAW FOR 5/16" ROD
FRS-3-2	3"	STANDARD FLAT ROOT SAW FOR 3/8" ROD
FRS-4-1	4"	STANDARD FLAT ROOT SAW FOR 5/16" ROD
FRS-4-2	4"	STANDARD FLAT ROOT SAW FOR 3/8" ROD
FRS-6-1	6"	STANDARD FLAT ROOT SAW FOR 5/16" ROD
FRS-6-2	6"	STANDARD FLAT ROOT SAW FOR 3/8" ROD
FRS-8-1	8"	STANDARD FLAT ROOT SAW FOR 5/16" ROD
FRS-8-2	8"	STANDARD FLAT ROOT SAW FOR 3/8" ROD
FRS-10-1	10"	STANDARD FLAT ROOT SAW FOR 5/16" ROD
FRS-10-2	10"	STANDARD FLAT ROOT SAW FOR 3/8" ROD
FRS-12-1	12"	STANDARD FLAT ROOT SAW FOR 5/16" ROD
FRS-12-2	12"	STANDARD FLAT ROOT SAW FOR 3/8" ROD
FRS-15-1	15"	STANDARD FLAT ROOT SAW FOR 5/16" ROD
FRS-15-2	15"	STANDARD FLAT ROOT SAW FOR 3/8" ROD



Set Screw Ends: For Set Screw Coupling Add "SS" and Either 3 for .375, 4 for .393, 5 for .415 or 6 for .461 rod. Direct Hook Ends: For Direct Hook End Add "DH" and Either 3 for .375, 4 for .393, 5 for .415 or 6 for .461 rod.

#### **HEAVY DUTY CONCAVE ROOT SAWS**

HEAVI DOIL	CONCAVE NOC	<u> </u>	
HCRS-3-1	3"	CONCAVE ROOT SAW FOR	5/16" ROD HD
HCRS-3-2	3"	CONCAVE ROOT SAW FOR	3/8" ROD HD
HCRS-4-1	4"	CONCAVE ROOT SAW FOR	5/16" ROD HD
HCRS-4-2	4"	CONCAVE ROOT SAW FOR	3/8" ROD HD
HCRS-5-1	5"	CONCAVE ROOT SAW FOR	5/16" ROD HD
HCRS-5-2	5"	CONCAVE ROOT SAW FOR	3/8" ROD HD
HCRS-6-1	6"	CONCAVE ROOT SAW FOR	5/16" ROD HD
HCRS-6-2	6"	CONCAVE ROOT SAW FOR	3/8" ROD HD
HCRS-8-1	8"	CONCAVE ROOT SAW FOR	5/16" ROD HD
HCRS-8-2	8"	CONCAVE ROOT SAW FOR	3/8" ROD HD
HCRS-10-1	10"	CONCAVE ROOT SAW FOR	5/16" ROD HD
HCRS-10-2	10"	CONCAVE ROOT SAW FOR	3/8" ROD HD
HCRS-12-1	12"	CONCAVE ROOT SAW FOR	5/16" ROD HD
HCRS-12-2	12"	CONCAVE ROOT SAW FOR	3/8" ROD HD
HCRS-15-1	15"	CONCAVE ROOT SAW FOR	5/16" ROD HD
HCRS-15-2	15"	CONCAVE ROOT SAW FOR	3/8" ROD HD
HCRS-18-1	18"	CONCAVE ROOT SAW FOR	5/16" ROD HD
HCRS-18-2	18"	CONCAVE ROOT SAW FOR	3/8" ROD HD
HCRS-20-1	20"	CONCAVE ROOT SAW FOR	5/16" ROD HD
HCRS-20-2	20"	CONCAVE ROOT SAW FOR	3/8" ROD



Set Screw Ends: For Set Screw Coupling Add "SS" and Either 3 for .375, 4 for .393, 5 for .415 or 6 for .461 rod. Direct Hook Ends: For Direct Hook End Add "DH" and Either 3 for .375, 4 for .393, 5 for .415 or 6 for .461 rod.

### **HEAVY DUTY FLAT ROOT SAWS**

HEAVY DI	<u>JIY FLAI RO</u>	<u>OT SAWS</u>
HFRS-3-1	3"	HD FLAT ROOT SAW FOR 5/16" ROD
HFRS-3-2	3"	HD FLAT ROOT SAW FOR 3/8" ROD
HFRS-4-1	4"	HD FLAT ROOT SAW FOR 5/16" ROD
HFRS-4-2	4"	HD FLAT ROOT SAW FOR 3/8" ROD
HFRS-5-1	5"	HD FLAT ROOT SAW FOR 5/16" ROD
HFRS-5-2	5"	HD FLAT ROOT SAW FOR 3/8" ROD
HFRS-6-1	6"	HD FLAT ROOT SAW FOR 5/16" ROD
HFRS-6-2	6"	HD FLAT ROOT SAW FOR 3/8" ROD
HFRS-8-1	8"	HD FLAT ROOT SAW FOR 5/16" ROD
HFRS-8-2	8"	HD FLAT ROOT SAW FOR 3/8" ROD
HFRS-10-1	10"	HD FLAT ROOT SAW FOR 5/16" ROD
HFRS-10-2	10"	HD FLAT ROOT SAW FOR 3/8" ROD
HFRS-12-1	12"	HD FLAT ROOT SAW FOR 5/16" ROD
HFRS-12-2	12"	HD FLAT ROOT SAW FOR 3/8" ROD
HFRS-15-1	15"	HD FLAT ROOT SAW FOR 5/16" ROD
HFRS-15-2	15"	HD FLAT ROOT SAW FOR 3/8" ROD
HFRS-18-1	18"	HD FLAT ROOT SAW FOR 5/16" ROD
HFRS-18-2	18"	HD FLAT ROOT SAW FOR 3/8" ROD
HFRS-20-1	20"	HD FLAT ROOT SAW FOR 5/16" ROD
HFRS-20-2	20"	HD FLAT ROOT SAW FOR 3/8" ROD



Set Screw Ends: For Set Screw Coupling Add "SS" and Either 3 for .375, 4 for .393, 5 for .415 or 6 for .461 rod. Direct Hook Ends: For Direct Hook End Add "DH" and Either 3 for .375, 4 for .393, 5 for .415 or 6 for .461 rod.

### **ROOT SAW BLADES ONLY**

#### STANDARD CONCAVE ROOT SAW BLADES 1/8" THICK

CRS-3B	3"	CONCAVE ROOT SAW BLADE ONLY
CRS-4B	4"	CONCAVE ROOT SAW BLADE ONLY
CRS-5B	5"	CONCAVE ROOT SAW BLADE ONLY
CRS-6B	6"	CONCAVE ROOT SAW BLADE ONLY
CRS-8B	8"	CONCAVE ROOT SAW BLADE ONLY
CRS-10B	10"	CONCAVE ROOT SAW BLADE ONLY
CRS-12B	12"	CONCAVE ROOT SAW BLADE ONLY



ANY SAW IS AVAILABLE WITH A WELDED ON 1" ARBOR HUB FOR \$60.00 ADD "WH" TO PART NUMBER

### STANDARD FLAT ROOT SAW BLADES 1/8" THICK

FRS-3B	3"	STANDARD FLAT ROOT SAW BLADE ONLY
FRS-4B	4"	STANDARD FLAT ROOT SAW BLADE ONLY
FRS-6B	6"	STANDARD FLAT ROOT SAW BLADE ONLY
FRS-8B	8"	STANDARD FLAT ROOT SAW BLADE ONLY
FRS-10B	10"	STANDARD FLAT ROOT SAW BLADE ONLY
FRS-12B	12"	STANDARD FLAT ROOT SAW BLADE ONLY



ANY SAW IS AVAILABLE WITH A WELDED ON 1" ARBOR HUB FOR \$60.00 ADD "WH" TO PART NUMBER

#### **HEAVY DUTY CONCAVE ROOT SAW BLADES 3/16" THICK**

HCRS-3B	3"	HD CONCAVE ROOT SAW BLADE ONLY
HCRS-4B	4"	HD CONCAVE ROOT SAW BLADE ONLY
HCRS-5B	5"	HD CONCAVE ROOT SAW BLADE ONLY
HCRS-6B	6"	HD CONCAVE ROOT SAW BLADE ONLY
HCRS-8B	8"	HD CONCAVE ROOT SAW BLADE ONLY
HCRS-10B	10"	HD CONCAVE ROOT SAW BLADE ONLY
HCRS-12B	12"	HD CONCAVE ROOT SAW BLADE ONLY
HCRS-15B	15"	HD CONCAVE ROOT SAW BLADE ONLY
HCRS-18B	18"	HD CONCAVE ROOT SAW BLADE ONLY
HCRS-20B	20"	HD CONCAVE ROOT SAW BLADE ONLY



ANY SAW IS AVAILABLE WITH A WELDED ON 1" ARBOR HUB FOR \$60.00 ADD "WH" TO PART NUMBER

### **HEAVY DUTY FLAT ROOT SAW BLADES3/16" THICK**

<u> </u>	<u> –,, </u>	OCTOTAL DESCRIPTION
HFRS-3B	3"	HD FLAT ROOT SAW BLADE ONLY
HFRS-4B	4"	HD FLAT ROOT SAW BLADE ONLY
HFRS-5B	5"	HD FLAT ROOT SAW BLADE ONLY
HFRS-6B	6"	HD FLAT ROOT SAW BLADE ONLY
HFRS-8B	8"	HD FLAT ROOT SAW BLADE ONLY
HFRS-10B	10"	HD FLAT ROOT SAW BLADE ONLY
HFRS-12B	12"	HD FLAT ROOT SAW BLADE ONLY
HFRS-15B	15"	HD FLAT ROOT SAW BLADE ONLY
HFRS-18B	18"	HD FLAT ROOT SAW BLADE ONLY
HFRS-20B	20"	HD FLAT ROOT SAW BLADE ONLY



ANY SAW IS AVAILABLE WITH A WELDED ON 1" ARBOR HUB FOR \$60.00 ADD "WH" TO PART NUMBER

### **SPIRAL ROOT SAW BLADES 5/32" THICK**

OI IIVAL IVOOT	<u>UAII D</u>	LADEO 0/02 TITION
SRS-4B	4"	SPIRAL ROOT SAW FOR 4" PIPE BLADE ONLY
SRS-6B	6"	SPIRAL ROOT SAW FOR 6" PIPE BLADE ONLY
SRS-8B	8"	SPIRAL ROOT SAW FOR 8" PIPE BLADE ONLY
SRS-10B	10"	SPIRAL ROOT SAW FOR 10" PIPE BLADE ONLY
SRS-12B	12"	SPIRAL ROOT SAW FOR 12" PIPE BLADE ONLY
SRS-15B	15"	SPIRAL ROOT SAW FOR 15" PIPE BLADE ONLY
SRS-18B	18"	SPIRAL ROOT SAW FOR 18" PIPE BLADE ONLY



ANY SAW IS AVAILABLE WITH A WELDED ON 1" ARBOR HUB FOR \$60.00 ADD "WH" TO PART NUMBER

### **COLORADO STYLE SAW BLADE 3/16" THICK**


H-CRS-7C 7" OVERLAP COLORADO WHITE SAW



# **ADDITIONAL CLEANING TOOLS**

PORCUPINI	ES
-----------	----

D-4-1	4"	PORCUPINE TURN TYPE FOR 5/16" ROD
D-4-2	4"	PORCUPINE TURN TYPE FOR 3/8 ROD
D-6-1	6"	PORCUPINE TURN TYPE FOR 5/16" ROD
D-6-2	6"	PORCUPINE TURN TYPE FOR 3/8" ROD
D-8-1	8"	PORCUPINE TURN TYPE FOR 5/16" ROD
D-8-2	8"	PORCUPINE TURN TYPE FOR 3/8" ROD
D-10-1	10"	PORCUPINE TURN TYPE FOR 5/16" ROD
D-10-2	10"	PORCUPINE TURN TYPE FOR 3/8" ROD
D-12-1	12"	PORCUPINE TURN TYPE FOR 5/16" ROD
D-12-2	12"	PORCUPINE TURN TYPE FOR 3/8" ROD
D-15-1	15"	PORCUPINE TURN TYPE FOR 5/16" ROD
D-15-2	15"	PORCUPINE TURN TYPE FOR 3/8" ROD
D-18-1	18"	PORCUPINE TURN TYPE FOR 5/16" ROD
D-18-2	18"	PORCUPINE TURN TYPE FOR 3/8" ROD



ALSO AVAILABLE IN PULL TYPE. PP-6, PP-8, PP-10 ETC... SAME PRICE

### **SEWER BRUSH FOR SWABBING / FINISHING LINE**

C-4-1	4"	STEEL SEWER BRUSH FOR 5/16" ROD
C-4-2	4"	STEEL SEWER BRUSH FOR 3/8 ROD
C-6-1	6"	STEEL SEWER BRUSH FOR 5/16" ROD
C-6-2	6"	STEEL SEWER BRUSH FOR 3/8" ROD
C-8-1	8"	STEEL SEWER BRUSH FOR 5/16" ROD
C-8-2	8"	STEEL SEWER BRUSH FOR 3/8" ROD
C-10-1	10"	STEEL SEWER BRUSH FOR 5/16" ROD
C-10-2	10"	STEEL SEWER BRUSH FOR 3/8" ROD
C-12-1	12"	STEEL SEWER BRUSH FOR 5/16" ROD
C-12-2	12"	STEEL SEWER BRUSH FOR 3/8" ROD



CH-1-1	5/16"	CHUCK WITH ADAPTER ROD
CH-1-2	3/8"	CHUCK WITH ADAPTER ROD
CH-1-3	.375	CHUCK WITH SET SCREW CONNECTION
CH-1-4	.393	CHUCK WITH SET SCREW CONNECTION
CH-1-5	.415	CHUCK WITH SET SCREW CONNECTION
CH-1-6	.461	CHUCK WITH SET SCREW CONNECTION



CB-4	4"	CURVED BLADE FOR 3 BLADE CHUCK. PRICE PER BLADE
CB-6	6"	CURVED BLADE FOR 3 BLADE CHUCK. PRICE PER BLADE
CB-8	8"	CURVED BLADE FOR 3 BLADE CHUCK. PRICE PER BLADE
CB-10	10"	CURVED BLADE FOR 3 BLADE CHUCK. PRICE PER BLADE
CB-12	12"	CURVED BLADE FOR 3 BLADE CHUCK. PRICE PER BLADE
CB-15	15"	CURVED BLADE FOR 3 BLADE CHUCK. PRICE PER BLADE
CB-18	18"	CURVED BLADE FOR 3 BLADE CHUCK. PRICE PER BLADE

FOR FULL SIZE ADD "FS" AND \$2.00 TO EACH BLADE

### **SELECT FLAT BLADES FOR 3 BLADE CUTTER**

FB-4	4"	FLAT BLADE FOR 3 BLADE CHUCK. PRICE PER BLADE
FB-6	6"	FLAT BLADE FOR 3 BLADE CHUCK. PRICE PER BLADE
FB-8	8"	FLAT BLADE FOR 3 BLADE CHUCK. PRICE PER BLADE
FB-10	10"	FLAT BLADE FOR 3 BLADE CHUCK. PRICE PER BLADE
FB-12	12"	FLAT BLADE FOR 3 BLADE CHUCK. PRICE PER BLADE
FB-15	15"	FLAT BLADE FOR 3 BLADE CHUCK. PRICE PER BLADE
FB-18	18"	FLAT BLADE FOR 3 BLADE CHUCK. PRICE PER BLADE





# POWER ROD DRIVE TRAILER AND ACCESSORIES

POWER DI SPD-3	RIVES 3 HP	Power Drive Units Include Speed-Chuck, Specify 5/16" or 3/8"	
SPD-6.5	6.5 HP	Power Drive Units Include Speed-Chuck, Specify 5/16" or 3/8"	
SPD-8	8 HP	Power Drive Units Include Speed-Chuck, Specify 5/16" or 3/8"	
SPD-8H	8 HP	Honda Engine	
AW-1	Adjusta	able Hydrant Wrench (Steel Handle, Cast Iron Head	
			RR-1-2
RR-1-1		I. Made from ½" round bar. 500' capacity. Can be ith either the tripod steel stand or trailer type	Bern's
RR-1-2		I stand street type. Guide tube with articulated elbow. upport the reel at perfect angle for pay-out	C. R. C.
RR-1-3		I stand trailer type. Same guide tube but the g plate to attach to trailer. Also can be modified to fit ck	
RR-1-4		nanhole rigid rod guide. Connects to 1.5" pipe to allow to enter the sewer at the correct angle	RR-1-4
RR-1-5		k support. Keeps pressure in the guide system orting the guide against back wall of manhole	RR-1-5
RR-1-6		ck support. Keeps pressure in the guide system orting the guide against back wall of manhole	RD.
RR-1-7		e jack support. Used to support the 1.5" guide ainst the manhole ring	RR-1-7
RR-1-8	Comes	te manhole set-up kit with 21' of galvanized. with 21' of pipe in sections and RR1-4, RR1-5, and RR1-7	RR-1-8
H-10-1	powerdr	I trailer. Can carry all your tools, rods and rive to the job site. Includes a lockable and an open commons with a standard 2" ball hitch and swivel el	ADJUSTAMA OCT OCT OCT ACK
H-11-1	Stop, tai	il & turning lights	0.0
H-12-1	Pintle rinç	g hitch	
H-13-1	Electric b	prakes	

#### CONTINUOUS ROD AND RODDER ACCESSORIES

#### **CONTINUOUS ROD GUIDE HOSES**

20'

22'

LW-7	7'	Lightweight Hose Guide With Flex-Metallic Liner
LW-10	10'	Lightweight Hose Guide With Flex-Metallic Liner
LW-15	15'	Lightweight Hose Guide With Flex-Metallic Liner
LW-18	18'	Lightweight Hose Guide With Flex-Metallic Liner
LW-20	20'	Lightweight Hose Guide With Flex-Metallic Liner
LW-22	22'	Lightweight Hose Guide With Flex-Metallic Liner
LW-24	24'	Lightweight Hose Guide With Flex-Metallic Liner
LW-25	25'	Lightweight Hose Guide With Flex-Metallic Liner
HD-7	7'	Heavy Duty Hose Guide With Metallic Liner
HD-10	10'	Heavy Duty Hose Guide With Metallic Liner
HD-15	15'	Heavy Duty Hose Guide With Metallic Liner
HD-18	18'	Heavy Duty Hose Guide With Metallic Liner
		, ,





HD-24 HD-25	24' 25'	Heavy Duty Hose Guide With Metallic Liner Heavy Duty Hose Guide With Metallic Liner
HDS-7	7'	Heavy Duty Hose Guide With Heavy Duty Steel Spring Liner
HDS-10	10'	Heavy Duty Hose Guide With Heavy Duty Steel Spring Liner
HDS-15	15'	Heavy Duty Hose Guide With Heavy Duty Steel Spring Liner
HDS-18	18'	Heavy Duty Hose Guide With Heavy Duty Steel Spring Liner

pring Liner pring Liner **HDS-20** 20' Heavy Duty Hose Guide With Heavy Duty Steel Spring Liner HDS-22 22' Heavy Duty Hose Guide With Heavy Duty Steel Spring Liner 24' HDS-24 Heavy Duty Hose Guide With Heavy Duty Steel Spring Liner 25' HDS-25 Heavy Duty Hose Guide With Heavy Duty Steel Spring Liner

Heavy Duty Hose Guide With Metallic Liner

Heavy Duty Hose Guide With Metallic Liner







#### **SPECIAL HD**

HD-20

HD-22

CAM-LOCK ENDS With 2" heavy duty iron Cam-Lock fitting male end

add "MI" to part number or add female end add "FI" to part number

Example: 7' light rod guide hose with male 2": heavy duty iron Cam Lock

fittings part No. LW-7MI \$535.00 + \$120.00 = \$655.00

ANY ABOVE HOSE CAN BE ORDERED WITH STEEL ENDS STEEL ENDS\*

BY ADDING "SE" TO PART NUMBER AND ADDING \$150.00, COMES WITH FEMALE END FOR HOSE GUIDE BELL AND

STEEL MALE END FOR RODDING MACHINE

**HGB** HOSE GUIDE BELL

SPB SINGLE PRONG BRACE WITH CHAIN AND ROPE SPR SINGLE PRONG BRACE WITH RING AND ROPE

HOSE GUIDE STAND HGS

SME STEEL MALE END

STEEL MALE END WITH STEEL 2" CAMLOCK SME-1M STEEL FEMALE FOR BELL FOR HOSE GUIDE BELL SFF

SCL-1 STEEL FEMALE X FEMALE STRAIGHT COUPLER

SCL-2 SET OF CLAMPS FOR ATTACHED STEEL ENDS TO HOSE

SCL-3 ALUMINUM BELL END FOR GUIDE HOSE SCL-4 ALUMINUM MALE END FOR GUIDE HOSE

SCL-5 **INSERT GUIDE** 

LIGHTWEIGHT FLEX-METALLIC LINER AND LW HOSE (PER FOOT) SCL-6 HEAVY DUTY HOSE WITH FLEX-METALLIC LINER (PER FOOT) SCL-7

SCL-8 FLEX-METALLIC LINER ONLY (PER FOOT)







35

#### **CONTINUOUS ROD**

### **CONTINUOUS ROD PRICE PER FOOT**

STC-1-2	0.375	Continuous Rod
STC-1-3	0.393	Continuous Rod
STC-1-4	0.415	Continuous Rod
STC-1-5	0.461	Continuous Rod

### **CONTINUOUS ROD TRANSFER RACK**

CRTR-1 6 SPOKE HEAVY DUTY TRANSFER RACK. 6 SPOKE AND GUIDE ARM

Rod Bending Kit for .375 SRK-1 SRK-2 Rod Bending Kit for .393 SRK-3 Rod Bending Kit for .415 SRK-4 Rod Bending Kit for .461



### **ADAPTER COUPLINGS**

ADAPTER COUPLINGS FOR CONNECTING CONTINUOUS ROD TO TOOLS

AC-1-1	0.375	Set screw type, to 3/8"COARSE RH THREAD
AC-1-2	0.393	Set screw type, to 3/8" COARSE RH THREAD
AC-1-4	0.461	Set screw type, to 3/8" COARSE RH THREAD
AC-2-1	0.375	Fine LH thread Hook, to 5/16" COARSE RH THREAD
AC-2-2	0.393	Fine LH thread Hook , to 5/16" COARSE RH THREAD
AC-2-4	0.461	Fine LH thread Hook , to 5/16" COARSE RH THREAD
AC-3-1	0.375	Set screw type, to 5/16" COARSE RH THREAD
AC-3-2	0.393	Set screw type, to 5/16" COARSE RH THREAD
AC-3-4	0.461	Set screw type, to 5/16" COARSE RH THREAD
AC-4-1	0.375	Fine LH thread hook, to 3/8" COARSE RH THREAD
AC-4-2	0.393	Fine LH thread hook, to 3/8" COARSE RH THREAD
AC-4-4	0.461	Fine LH thread hook, to 3/8" COARSE RH THREAD



<u> </u>	
5/16"	Course Thread Right Hand Nut
5/16"	Fine Thread Left Hand Nut
3/8"	Course Thread Right Hand Nut
3/8"	Fine Thread Left Hand Nut
0.375	Course Thread Right Hand Nut
0.375	Fine Thread Left Hand Nut
0.393	Course Thread Right Hand Nut
0.393	Fine Thread Left Hand Nut
0.461	Course Thread Right Hand Nut
0.461	Fine Thread Left Hand Nut
	5/16" 5/16" 3/8" 3/8" 0.375 0.375 0.393 0.393



CC-1-1 5/16 5/16" LH fine x RH Coarse Coupling CC-1-2 3/8" 3/8" LH fine x RH Coarse Coupling



OOOI EIITO	O I OIL OGOAI	<u>KE GTGGIK GGIKIKGGIKEW</u>
CS-1-1	5/16"	To Be Used With Adapter Rods
CS-1-2	3/8"	To Be Used With Adapter Rods
CS-1-3	0.375	With Set Screw Connections
CS-1-4	0.393	With Set Screw Connections
CS-1-6	0.461	With Set Screw Connections
CS-1-7	0.375	With Hook Type Connection
CS-1-8	0.393	With Hook Type Connection
CS-1-10	0.461	With Hook Type Connection

COUPLING	<u>55 FUR STAN</u>	DARD ROOT SAW
CR1-1	5/16"	To Be Used With Adapter Rods
CR1-2	3/8"	To Be Used With Adapter Rods
CR1-3	0.375	With Set Screw Connections
CR1-4	0.393	With Set Screw Connections
CR1-6	0.461	With Set Screw Connections
CR1-7	0.375	With Hook Type Connection
CR1-8	0.393	With Hook Type Connection
CR1-10	0.461	With Hook Type Connection

# **QUICK CONNECT COUPLINGS**

QCP-1	5/16"	Quick Connect Female Coupling for 5/16" Rods
QCM-1	5/16"	Quick Connect Male Coupling for 5/16" Rods
QCF-2	1/4"	Quick Connect Female Coupling for 1/4" Rods
QCM-2	1/4"	Quick Connect Male Coupling for 1/4" Rods


















COLIDI INC	C EOD UD D	OOT CAME	
	S FOR HD R		
CRHD-1	5/16"	To Be Used With Adapter Rods	- 4
CRHD-2	3/8"	To Be Used With Adapter Rods	100
CRHD-3	0.375	With Set Screw Connections	
CRHD-4	0.393	With Set Screw Connections	100
CRHD-6	0.461	With Set Screw Connections	7
CRHD-7	0.375	With Hook Type Connection	100
CRHD-8	0.393	With Hook Type Connection	
CRHD-9	0.415	With Hook Type Connection	
CRHD-10	0.461	With Hook Type Connection	
COUPLING	S FOR AUGE	ERS 2", 3" & 4"	1702
CA-1-1	5/16"	To Be Used With Adapter Rods	
CA-1-2	3/8"	To Be Used With Adapter Rods	
CA-1-3	0.375	With Set Screw Connections	- 44
CA-1-4	0.393	With Set Screw Connections	
CA-1-6	0.461	With Set Screw Connections	
CA-1-7	0.375	With Hook Type Connection	
CA-1-8	0.393	With Hook Type Connection	
CA-1-9	0.415	With Hook Type Connection	
CA-1-10	0.461	With Hook Type Connection	
COUPLING	S FOR AUGE	ERS 6", 10" AND UP	A. A. S.
CA-2-1	5/16"	To Be Used With Adapter Rods	
CA-2-2	3/8"	To Be Used With Adapter Rods	- 4
CA-2-3	0.375	With Set Screw Connections	- 1
CA-2-4	0.393	With Set Screw Connections	
CA-2-6	0.461	With Set Screw Connections	
CA-2-7	0.375	With Hook Type Connection	
CA-2-8	0.393	With Hook Type Connection	
CA-2-9	0.415	With Hook Type Connection	
CA-2-10	0.461	With Hook Type Connection	ary.





#### COMPLETE NO. 5 SET IS COMPRISED OF:

17 each P5-13 (1/4" x 6' rods), 1 each of P5-1 Rod Frame, 1 each of P5-2 2" Corkscrew, 1 each of P5-3 4" Double Corkscrew, 1 each of P5-4 4" Corkscrew, 1 each of P5-5-3 3" Root Cutter, 1 each of P5-6 Spear Head, 1 each of P5-7 Pick-Up Tool, 1 Each of P5-8 Assembly Tool, 1 each of P5-9 Electric Drill Adapter, 1 each of P5-10 Turning, Handle.

Add "B" to any tool above for a pig tail with a "B" nut, and Add \$3.00 Each


PULL OUT TURNING HANDLE

P5-10

P-5SET

ADD "M" TO ANY ABOVE CLEANING TOOL FOR A 5/16" PIGTAIL FOR AN ADDITIONAL \$15.00 (LIST)

#### "B" PLUMBERS RODS AND TOOLS



PB COMPLETE "B" PLUMBERS SET

SET INDLUDES 17 RODS AND 1 EACH OF ALL TOOLS ABOVE EXCEPT PB-9, PB-10 AND PB-5-2

#### SPECIAL COILED SPRING ITEMS

1" O.D. OF 1/4" WIRE X 12" LONG WITH RH X LH 5/16" NUTS SSU-1 SSU-2 UNIVERSAL SPRINGS 1.25" DIA X 12" LONG WITH 5/16" LHXRH SSCR-3 1" X 3' COILED ROD WITH RH X LH 5/16" NUTS SCR-25 1" X 25' COILED ROD WITH 5/16" PIGS TAILS EACH SIDE 1" X 3' COILED ROD WITH AUGER COUPLING X 5/16" PIG SCR-3A PF-7 1" X 25' COILED ROD 1/4" PLUMBER TOOL MALE X FEMALE PF-20M 1" X 3' LONG COILED ROD WITH 3" ROOT SAW X 5/16" PF-21M 1" X 3' LONG COILED ROD WITH 4" ROOT SAW X 5/16" PF-22M 1" X 3' LONG COILED ROD WITH 6" ROOT SAW X 5/16" PF-8 1" FEMALE COILED ROD COUPLER PF-9 1" MALE COILED ROD COUPLER



### **VALVES AND SWIVELS**

**VALVES** BHK-1-2 S-21 1" 2-WAY BALL VALVE 5000 PSI BHK-3/4-2 S-234 3/4" 2-WAY BALL VALVE 5000 PSI BHK-114-2 S-2125 11/4" 2-WAY BALL VALVE 5000 PSI BHK-1-3 S-31 1" 3-WAY BALL VALVE 5000 PSI BHK-3-3/4 S-334 3/4" 3-WAY BALL VALVE 5000 PSI

# **HOSE REEL SWIVELS**

SSE-1E	1"	90° SWIVEL
SSE-12E	11/4"	90° SWIVEL
SSE-34E	3/4"	90° SWIVEL



38

### **TAP/CALCIUM CUTTERS**

# **DIAMOND TAP CUTTERS**

DTC-6	6"	DIAMOND TAP CUTTER
DTC-8	8"	DIAMOND TAP CUTTER
DTC-10	10"	DIAMOND TAP CUTTER
DTC-12	12"	DIAMOND TAP CUTTER
DTC-15	15"	DIAMOND TAP CUTTER



# **PVC TAP CUTTER**

CTS-6	6"	PVC TAP CUTTER
CTS-8	8"	PVC TAP CUTTER
CTS-10	10"	PVC TAP CUTTER
CTS-12	12"	PVC TAP CUTTER
CTS-15	15"	PVC TAP CUTTER
CTS-18	18"	PVC TAP CUTTER



# **ARROW DIAMOND TIPPED CUTTER (CALCIUM CARBONATE CUTTER)**

ADC-6	6"	ARROW DIAMOND CUTTER
ADC-8	8"	ARROW DIAMOND CUTTER
ADC-10	10"	ARROW DIAMOND CUTTER
ADC-12	12"	ARROW DIAMOND CUTTER
ADC-15	15"	ARROW DIAMOND CLITTER



# **SEPTIC CLEANING TOOLS (All are fitted with a 3/4" Female NPT Pipe connection)**

SV-5	9"	CURVED SPUD
SV-1	9"	SLUDGE HOE WITH 2 HOLES
SV-3	9"	SLUDGE SPUD
SV-6	15"	CURVED SPUD
SV-2	15"	SLUDGE HOE WITH 3 HOLES
SV-4	15"	SLUDGE SPUD  SV-8  FE
SV-8	12"	SLUDGE RAKE WITH 2 HOLES AND TEETH
SV-7	16"	TANK SCRAPER (HALF MOON FOR TANKS) (BOTTOM RIGHT)
FE-1		PTER TO CONNECT SEPTIC CLEANING TOOLS TO RGLASS POLES

39


#### MANHLE HOOKS

POOK DOUBLE SIDED PICK AND MANHOLE HOOK

This is the famous Pook that is well known in cities across America for those who want the toughest manhole hook. Hook and Pick combined to make a "Pook". One side of the 2 sided head is a sharp pick to chip away at asphalt or any other hard surface. The other side has a hook that has the perfect angle to fit in the hole and lift up any manhole lid. This complete unit is made from 4130 high carbon steel that is heat treated to exacting numbers. The handle is 3/4" thick!! Nice triangle flat against your palm. Powder coated safety orange

MSRH-1 MANHOLE HOOK, TRIANGLE HANDLE, 39" LONG, 90° MSRH-2 MANHOLE HOOK, TRIANGLE HANDLE, 27" LONG, FLAT MSRH-3 MANHOLE HOOK, TRIANGLE HANDLE, 39" LONG, FLAT

MSRT-1 "T" HANDLE MANHOLE HOOK, 39" LONG FLAT



### SPECIALTY TOOLS NOT OTHERWISE ACCOUNTED FOR

### MAGNETIC VALVE BOX LIFTER.

MVBL-1 The Valve Box Lifter packs a punch with 100 lb. magnet strength.

Equipped with a 30" long T handle, it's easy to place on the cover and lift up.

#### FIBERGLASS POLE SUPPORT BRACKET

M-730 POLE SUPPORT BRACKET WITH WINGED HINGE

This handy tool will keep your pole supported above manhole rim. Hinged in middle so it folds up and is easy to store. Interior rubber gasket keeps pole in place.

#### **INSERT NOZZLE GUIDE**



1) Place hose in jaws 2) Close Jaws around hose 3) Lower the guide into place 4) Pull rope and release hose and nozzle

This device connects to our interlocking pole systems. Essentially it will grab and lock the end of your hose where the nozzle is so the operator can put it where he wants. The sewer or duct might be submerged, blind, raised or dropped. Once you have the nozzle securely attached in the jaws you can lower the hose and nozzle into the manhole to the depth you need. At this point you just direct the end of the guide into the sewer line and insert it. At this point you can open the water flow so that your nozzle will take off in the line once you open the guide jaws. With a slight "tug" on the rope you will open the jaws and release the hose and nozzle. YOU'RE DONE. PULL UP GUIDE TO THE STREET.

ING-SS INSERT GUIDE ONLY. INCLUDES 25' NYLON ROPE. CONNECTS TO OUR QUICK CONNECT POLE SYSTEM.







**PULL THE ROPE AND JAWS RELEASE** 





### **MAGNETIC BOOM MANHOLE LIFTER**

Easily attaches to the end of your boom hose. Either flat flange, male or female BAND-LOCK type. Weights 25lbs with 600lbs. capacity.

- -Attach to Boom
- -Lower onto Manhole lid
- -Lift off and Detach.

MBL-61 LIFTER WITH 6" FLAT FLANGE 'VACTOR - VAC-CON'
MBL-81 LIFTER WITH 8" FLAT FLANGE 'VACTOR - VAC-CON'

MBL-82 LIFTER WITH 8" FEMALE FLANGE 'CAMEL - VAC-ALL'
MBL-62 LIFTER WITH 6" FEMALE FLANGE 'CAMEL - VAC-ALL'

MBL-63 LIFTER WITH 6" MALE FLANGE 'CAMEL - VAC-ALL'
MBL-83 LIFTER WITH 8" MALE FLANGE 'CAMEL - VAC-ALL'









### PLASTIC MANHOLE PROTECTION RING

MPR-100 24" TO 27" Manhole Protection Ring


MPR-125 30" TO 34" Manhole Protection Ring





### ALUMINUM ROLLER GRILL MANHOLE SAFETY COVER FOR VIDEO INSPECTION AND SEWER HOSE CLEANING

SMR-28A This lightweight all aluminum manhole safety roller grill reduces the possibility to zero of falling into the manhole. Made of aluminum with an aluminum roller and powder coated red it is easy to see. Unique design has hand opening to allow tightening of 4 support screws. Just 15 lbs.



SMR-28N SAME ALUMINUM ROLLER GRILL MANHOLE SAFETY COVER WITH HIGH DENSITY NYLON ROLLER FOR EVEN LIGHTER WEIGHT. JUST 11 LBS.


SMR-36N 36" Aluminum roller grill manhole safety cover but with High Density Nylon roller for a total weigh of only 20 lbs.

SMR-36A Same as above 36" Aluminum roller Grill with Aluminum roller weighing only 22 lbs.





41



Southland Tool Mfg. Inc. 1430 N. Hundley St. Anaheim, CA 92806

Tel: 714.632.8198 • Fax: 714.632.8228

www.southlandtool.com • sales@southlandtool.com